


contrac[®]

PROFESSIONALLY TRUSTED. DRIVEN TO CONSERVE.

2022 PRODUCT GUIDE


APRIL 2022






BOWL TYPES

PLUS HEIGHT




Plus Height toilets are higher than standard toilet heights. They are approximately 16½"-17".

ELONGATED BOWL




Designed for comfort and to provide additional room.

COMPACT ELONGATED BOWL



Offers the comfort of an elongated bowl with the same round front bowl depth.

ROUND BOWL



Perfect for small spaces.

SPECIALTY TANKS

**4721BFVU-LT | LOW PROFILE
12" ROUGH IN UNLINED TANK**



COMPATIBLE WITH: Carlin, Cody

**4721BFV-RH | RIGHT HAND LEVER
TANK 12" ROUGH IN LINED TANK**



COMPATIBLE WITH: Carlin, Cody,
Caven, Crista

**4700BFVU | 10" ROUGH IN
UNLINED TANK**



COMPATIBLE WITH: Carlin, Cody,
Caven, Crista

**4721BFV-L | LOCKING TANK 12"
ROUGH IN LINED TANK**



COMPATIBLE WITH: Carlin, Cody,
Caven, Crista

**4721BFV-RH-L | RIGHT HAND LEVER
TANK 12" ROUGH IN LINED TANK
WITH LOCKING LID**



COMPATIBLE WITH: Carlin, Cody,
Caven, Crista

DRIVEN TO CONSERVE



CHOOSE FROM ONE OF OUR LEADING **3LPF** TOILETS



SUTO



KEATON



WILTON

By replacing old, inefficient toilets with 3LPF WaterSense labeled models the average family can save up to 50,000 litres of water every year.

WATER USAGE PER YEAR (L)



6L TOILETS:
12,480 L /YEAR



4.8L TOILETS:
9,984 L /YEAR



DUAL FLUSH/ 3.5L TOILETS:
7,280 L /YEAR



3L TOILETS:
6,240 L /YEAR



DID YOU KNOW?

A typical household flushes their toilet approximately 5.7 times a day; 173 times a month which results in 2,080 flushes every year.

WATER USAGE PER DAY: 3L VERSUS 3.5/4.8,6L TOILETS

SAVE UP TO:

15% OF WATER
when compared to 3.5L toilets

40% OF WATER
when compared to 4.8L toilets


50% OF WATER
when compared to 6L toilets



INTRODUCING

TOILET SENSE

TOILET SENSE is your go-to option for touchless toilets. Contrac's **TOILET SENSE** Cane lined and unlined tanks work seamlessly with four of Contrac's existing bowls (Carlin, Cody, Crista & Caven) which creates eight unique, reasonably priced toilet configurations. Additionally, the Cayla and Cali are also available as complete **TOILET SENSE** options.



INTRODUCING

TOILET SENSE

Toilet Sense is Contrac's household hygienic touchless toilet system. This state-of-the-art, hands free intelligent system, creates an automatic flush with a wave of the hand.

The Toilet Sense sensor-driven module is preinstalled directly to the flush valve. Once activated, a flush is created by lifting the flapper automatically.

The touchless toilet system is:

- cost-effective
- easy to clean
- light-weight
- rustless, impact and discolouration resistant



Our Toilet Sense can be placed 1 meter away from the toilet.

If the Toilet Sense button needs a battery replacement, you are still able to flush the toilet using the tank lever.



TABLE OF CONTENTS

TOILETS 11








35	BIDET
14	ONE PIECE TOILETS
33	TOILET SEATS
20	TWO PIECE TOILETS
12	WALL-HUNG TOILETS

BATHROOM SINKS 37

42	DROP-IN SINKS
38	PEDESTALS
47	UNDERMOUNT SINKS
52	VESSEL SINKS

COMMERCIAL FIXTURES 57

63	FLUSH VALVE BOWLS
70	DROP-IN & UNDERMOUNT SINKS
58	TOILETS
67	URINALS
73	WALL-HUNG SINKS

	Pro Guard Glaze (PGG)
	Dual Flush
	Plus Height for greater comfort.
	Smooth Close hinge for user convenience.
	Meets ADA/ANSI A117.1 Barrier Free standards. For all other Barrier Free certifications, see individual spec sheets for details.
	WaterSense® Certified. Meets all ANSI/ASME low consumption, water conservation requirements.
	MaP Premium

NOTES: Unless specified, all toilets are designed to rough-in at a minimum dimension of 305mm (12") from finished wall to C/L of outlet. Supply line not included with fixture and must be ordered separately.

Important: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ASME standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, see individual spec sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product. (If icon is listed next to product).



AT A GLANCE - TOILETS

WALL HUNG TOILET 12

12 CANAAN

ONE PIECE TOILETS 14

16 CALI
18 CARLAW
14 CILA
16 HILLSBOROUGH
15 KIERA
15 MANNING
17 MILLER
18 WICKLOW
14 WILTON

TWO PIECE TOILETS 20

24 AVENAL
21 CADELL
22 CAMRI
30 CARLIN
22 CARSON
21 CATO
27 CAVEN
23 CAYLA
29 CODY
28 CRISTA
20 KEATON
25 SANFORD PRO-LINE
20 SUTO
26 VANNES
23 VIEIRA

TOILET SEATS 33

33 ELONGATED
33 ROUND
33 TELESCOPIC

BIDET 35

35 CALE

HIGH EFFICIENCY DUAL FLUSH 6LPF / 1.6GPF OR 3LPF / 0.8GPF


CANAAN	DESCRIPTION			
	 <ul style="list-style-type: none"> • High Efficiency Dual Flush 6Lpf / 1.6Gpf or 3Lpf / 0.8Gpf • HDPE tank and durable coated steel frame up to 400kg (880lbs) load capacity • 2" x 4" In Wall Carrier System • Vitreous china skirted bowl • Adjustable carrier height to range 15$\frac{3}{4}$" (400mm) to 17" (430mm) bowl rim height (*Carrier can be adjusted to 17" Plus Height for greater comfort) • Smooth close and quick removal seat included • 3" PVC waste outlet included • Water surface: 5" x 4" (127mm x 100mm) • Meets EPA WaterSense criteria • MaP Tested 800g <p>NOMINAL DIMENSIONS Wall Hung Bowl with Seat:</p> <ul style="list-style-type: none"> • 350mm W x 543mm D x 364mm H • 13$\frac{3}{4}$" W x 21$\frac{3}{8}$" D x 14$\frac{3}{8}$" H <p>Tank Carrier:</p> <ul style="list-style-type: none"> • 590mm W x 90mm D x 1127 to 1277mm H • 23$\frac{1}{4}$" W x 3$\frac{1}{2}$" D x 44$\frac{3}{8}$" to 50$\frac{1}{4}$" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
5780CFW	• Tank Carrier and Bowl Kit (CSA approved to be sold as a kit.)	86.50 lbs	N/A	Soft White
CT-1031DF	• Canaan Kit (Carrier)	33.50 lbs	14	
5782CFW	• Bowl Only	53.00 lbs	15	Soft White
	SEPARATE COMPONENTS (REQUIRED TO ORDER SEPARATELY)		CASE PACK (PCS)	
FB-110W	• White Push Button		32	Soft White
FB-110MC	• Matte Chrome Push Button		32	Matte Chrome
FB-110C	• Chrome Push Button		32	Chrome




Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.



ULTRA HIGH EFFICIENCY 3.0LPF / 0.8GPF

<div><div>WILTON</div><div></div></div>	<div>DESCRIPTION</div> <div><div><ul style="list-style-type: none">• Ultra High Efficiency 3.0Lpf / 0.8Gpf• Elongated bowl with concealed skirted trapway• Vitreous china• 16½" Plus Height for greater comfort• Chrome tank lever• 12" (305mm) Rough-in• 2" Fully glazed ball pass trapway• 3" Canister flush valve• Siphon jet flush action• Water surface: 7⅞" x 5½" (200mm x 140mm)• Decorative white side caps included• Smooth close toilet seat included• Meets EPA WaterSense criteria• MaP Premium Tested 800g</div><div><div><div>NOMINAL DIMENSIONS</div><ul style="list-style-type: none">• 365mm W x 695mm D x 765mm H• 14⅝" W x 27⅞" D x 30⅞" H</div><div><div><div>PLUS HEIGHT</div><div>HAUTEUR PLUS</div></div><div><div>SMOOTH CLOSE</div><div>FERMEURE LÉGÈRE</div></div><div><div>WATER SENSE</div><div>EPA 6.0 LPS</div></div><div><div>MA P 800</div><div>PREMIUM</div></div></div></div></div>			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4710BSXU	<div>• Wilton - Plus Height, Concealed Elongated One Piece Toilet, Unlined Tank with Smooth Close Seat</div>	107.00 lbs	6	Soft White

ULTRA HIGH EFFICIENCY 3.5LPF / 0.92GPF

<div>CILA</div> <div></div>	<div>DESCRIPTION</div> <div><ul style="list-style-type: none">• Ultra High Efficiency 3.5Lpf / 0.92Gpf• Elongated bowl with concealed skirted trapway• Vitreous china• 17" Plus Height for greater comfort• Soft white tank lever• 12" (305mm) Rough-in• 2" Fully glazed ball pass trapway• 3" Flush valve• Siphon jet flush action• Water surface: 7⅞" x 5⅞" (198mm x 143mm)• Decorative soft white side caps included• Smooth close toilet seat included• Meets EPA WaterSense criteria• MaP Premium Tested 800g</div> <div><div>NOMINAL DIMENSIONS</div><ul style="list-style-type: none">• 391mm W x 725mm D x 765mm H• 15⅝" W x 28½" D x 30⅞" H</div> <div><div><div><div>PLUS HEIGHT</div><div>HAUTEUR PLUS</div></div><div><div>SMOOTH CLOSE</div><div>FERMETURE LÈVE</div></div><div><div>WATER SENSE</div><div>MEETS EPA CRITERIA</div></div><div><div>MA P 800</div><div>PREMIUM</div></div></div></div>			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4710BOXU	• Cila - Plus Height, Concealed Elongated One Piece Toilet, Unlined Tank with Smooth Close Seat	81.40 lbs	8	Soft White

HIGH EFFICIENCY DUAL FLUSH 4.8LPF / 1.28GPF OR 3.0LPF / 0.8GPF

KIERA	DESCRIPTION			
	<ul style="list-style-type: none"> • High Efficiency dual flush 4.8Lpf / 1.28Gpf or 3.0Lpf / 0.8Gpf • Elongated bowl with concealed skirted trapway • Vitreous china • 17" Plus Height for greater comfort • White and chrome top push button • 12" (305mm) Rough-in • 2" Fully glazed ball pass trapway • 3" Dual flush valve • Siphon jet flush action • Water surface: 7$\frac{7}{8}$" x 5$\frac{1}{2}$" (200mm x 140mm) • Decorative white side caps included • Smooth close toilet seat included • Meets EPA WaterSense criteria • MaP Premium Tested 1000g <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 391mm W x 725mm D x 765mm H • 15$\frac{1}{2}$" W x 28$\frac{1}{2}$" D x 30$\frac{3}{8}$" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4710BNWU	• Kiera - Plus Height, Dual Flush Concealed Elongated One Piece Toilet, Unlined Tank with Smooth Close Seat	80.00 lbs	8	Soft White






HIGH EFFICIENCY DUAL FLUSH 4.8LPF / 1.28GPF OR 3.5LPF / 0.92GPF

MANNING	DESCRIPTION			
	<ul style="list-style-type: none"> • High Efficiency Dual Flush 4.8Lpf / 1.28Gpf or 3.5Lpf / 0.92Gpf • Compact elongated bowl with concealed skirted trapway • Vitreous china • 15$\frac{1}{4}$" Bowl height • Chrome top push button • 12" (305mm) Rough-in • 2" Fully glazed ball pass trapway • 3" Dual flush valve • Siphon jet flush action • Water surface: 9$\frac{1}{2}$" x 6$\frac{5}{8}$" (240mm x 170mm) • Decorative soft white side caps included • Toilet seat not included • Meets EPA WaterSense criteria • MaP Premium Tested 1000g <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 395mm W x 680mm D x 760mm H • 15$\frac{1}{2}$" W x 26$\frac{3}{4}$" D x 30" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4710BHXU (BEING DISCONTINUED)	• Manning - Dual Flush Concealed Elongated One Piece Toilet, Unlined Tank (Toilet seat not included)	95.21 lbs	8	Soft White
4710BHXU-TS	• Manning - Dual Flush Concealed Elongated One Piece Toilet, Unlined Tank (Smooth Close Toilet seat included)	97.00 lbs	6	Soft White








Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.



HIGH EFFICIENCY 4.8LPF / 1.28GPF

CALI	DESCRIPTION					
	<ul style="list-style-type: none">• High Efficiency 4.8Lpf / 1.28Gpf• Elongated bowl with concealed skirted trapway• Vitreous china• 17" Plus Height for greater comfort• Soft white tank lever• 12" (305mm) Rough-in• 2" Fully glazed ball pass trapway• 3" Flapper• Siphon jet flush action• Water surface: 7¾" x 5⅝" (198mm x 143mm)• Decorative soft white side caps included• Smooth close toilet seat included• Meets EPA WaterSense criteria• MaP Tested 1000g				   	
	NOMINAL DIMENSIONS <ul style="list-style-type: none">• 392mm W x 725mm D x 765mm H• 15½" W x 28½" D x 30⅝" H					
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR		
4710BOVU	• Cali - Plus Height, Concealed Elongated One Piece Toilet, Unlined Tank with Smooth Close Toilet Seat	80.00 lbs	8	Soft White		
4710BOV	• Cali - Plus Height, Concealed Elongated One Piece Toilet, Lined Tank with Smooth Close Toilet Seat	80.00 lbs	8	Soft White		
	• Cali - Plus Height, Concealed Elongated One Piece Touchless Toilet with Smooth Close Toilet Seat			Soft White		
4710BOV-HF	• Cali - One Piece Toilet with Touchless Sensor, Lined Tank	80.00 lbs	8	Soft White		
4710BOVU-HF	• Cali - One Piece Toilet with Touchless Sensor, Unlined Tank	80.00 lbs	8	Soft White		

HIGH EFFICIENCY 4.8LPF / 1.28GPF

HILLSBOROUGH	DESCRIPTION			
	<ul style="list-style-type: none">• High Efficiency 4.8Lpf / 1.28Gpf• Elongated bowl with concealed skirted trapway• Vitreous china• 17" Plus Height for greater comfort• Soft white tank lever• 10" (254mm) Rough-in• 2" Fully glazed ball pass trapway• 3" Flapper• Siphon jet flush action• Water surface: 7¾" x 5⅝" (198mm x 143mm)• Decorative soft white side caps included• Smooth close toilet seat included• Meets EPA WaterSense criteria• MaP Tested 1000g	<div></div>		
	<p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none">• 392mm W x 725mm D x 765mm H• 15½" W x 28½" D x 30⅝" H			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4700BOVU	• Hillsborough - Concealed Elongated One Piece Toilet, Unlined Tank with Smooth Close Toilet Seat	80.00 lbs	8	Soft White

HIGH EFFICIENCY 4.8LPPF / 1.28GPF




MILLER 	DESCRIPTION <ul style="list-style-type: none"> • High Efficiency 4.8Lpf / 1.28Gpf • Elongated bowl with concealed skirted trapway • Vitreous china • 15½" Bowl height • Top push button • 12" (305mm) Rough-in • 2" Fully glazed ball pass trapway • 3" Flush valve • Siphon jet flush action • Water surface: 7½" x 5½" (190mm x 130mm) • Smooth close toilet seat included • Meets EPA WaterSense criteria • MaP Tested 1000g  NOMINAL DIMENSIONS <ul style="list-style-type: none"> • 425mm W x 720mm D x 750mm H • 16¾" W x 28¼" D x 29½" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4711BEVU	• Miller - Concealed Elongated One Piece Toilet, Unlined Tank with White Smooth Close Toilet Seat, Chrome Top Push Button	81.50 lbs	6	Soft White
4711BEVU-077	• Miller - Concealed Elongated One Piece Toilet, Unlined Tank with Matte Black Smooth Close Toilet Seat and Top Push Button	81.50 lbs	6	Matte Black
4711BEVU-088	• Miller - Concealed Elongated One Piece Toilet, Unlined Tank with Slate Grey Smooth Close Toilet Seat and Top Push Button	81.50 lbs	6	Slate Grey

	
4711BEVU-077 Matte Black	4711BEVU-088 Slate Grey







Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

HIGH EFFICIENCY 4.8LPF / 1.28GPF

 CARLAW	DESCRIPTION			
	<ul style="list-style-type: none"> • High Efficiency 4.8Lpf / 1.28Gpf • Compact elongated bowl with concealed skirted trapway • Vitreous china • 15¾" Bowl height • Soft white tank lever • 12" (305mm) Rough-in • 2" Fully glazed ball pass trapway • 3" Flapper • Siphon jet flush action • Water surface: 9½" x 6½" (240mm x 170mm) • Decorative soft white side caps included • Toilet seat not included • Meets EPA WaterSense criteria • MaP Tested 1000g   <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 395mm W x 680mm D x 760mm H • 15½" W x 26¾" D x 30" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4710BHVU (BEING DISCONTINUED)	• Carlaw - Concealed Elongated One Piece Toilet, Unlined Tank (Toilet seat not included)	95.17 lbs	8	Soft White
4710BHVU-L	• Carlaw - Concealed Elongated One Piece Toilet, Unlined Locking Tank (Toilet seat not included)	95.17 lbs	8	Soft White
4710BHVU-TS	• Carlaw - Concealed Elongated One Piece Toilet, Unlined Tank (Smooth Close Toilet seat included)	95.17 lbs	6	Soft White

HIGH EFFICIENCY 4.8LPF / 1.28GPF

 WICKLOW	DESCRIPTION			
	<ul style="list-style-type: none"> • High Efficiency 4.8Lpf / 1.28Gpf • Compact elongated bowl • Vitreous china • 17" Plus Height for greater comfort • Soft white tank lever • 12" (305mm) Rough-in • 2" Fully glazed ball pass trapway • 3" Flapper • Siphon jet flush action • Water surface: 8½" x 5½" (208mm x 140mm) • Oversized footprint • Toilet seat not included • Meets EPA WaterSense criteria • MaP Tested 1000g    <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 420mm W x 690mm D x 750mm H • 16½" W x 27½" D x 29½" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4710BCVU	• Wicklow - Plus Height, Elongated One Piece Toilet, Unlined Tank (Toilet seat not included)	82.50 lbs	8	Soft White
	RECOMMENDED SEAT (SOLD SEPARATELY)		CASE PACK (PCS)	
TS7150SC	• Smooth Close Elongated Plastic Toilet Seat	3.74 lbs	10	Soft White

 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.



ULTRA HIGH EFFICIENCY 3.0LPF / 0.8GPF

<div>KEATON</div> <div></div>	<div>DESCRIPTION</div> <div><ul style="list-style-type: none">• Ultra High Efficiency 3.0Lpf / 0.8Gpf• Round front bowl• Vitreous China• 15½" Height bowl• Chrome tank lever• 12" (305mm) Rough-in• Fully glazed ball pass trapway• 3" Flush valve• Siphon jet flush action• Water Surface: 8" x 5¾" (205mm x 145mm)• Toilet seat not included• Meets EPA WaterSense criteria• MaP Premium Tested 800g</div> <div><div><div>NOMINAL DIMENSIONS</div><ul style="list-style-type: none">• 420mm W x 660mm D x 760mm H• 16½" W x 26" D x 29⅞" H</div><div><div>WaterSense</div><div>MAKING SENSE OF WATER</div></div><div><div>MaP</div><div>800</div><div>PREMIUM</div></div></div>				
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR	
4740BFXU	• Keaton - Round Front, Two Piece Toilet, Unlined Tank (Toilet seat not included)	70.00 lbs	8	Soft White	
	RECOMMENDED SEAT (SOLD SEPARATELY)		CASE PACK (PCS)		
TS6121SC	• Smooth Close Round Front Plastic Toilet Seat	3.30 lbs	10	Soft White	




ULTRA HIGH EFFICIENCY 3.0LPF / 0.8GPF

SUTO	DESCRIPTION					
	<ul style="list-style-type: none">• Ultra High Efficiency 3.0Lpf / 0.8Gpf• Compact elongated bowl• Vitreous China• 17" Plus Height for greater comfort• Chrome tank lever• 12" (305mm) Rough-in• Fully glazed ball pass trapway• 3" Flush valve• Siphon jet flush action• Water Surface: 8" x 5¾" (205mm x 145mm)• Toilet seat not included• Meets EPA WaterSense criteria• MaP Premium Tested 800g				  	
	<p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none">• 420mm W x 693mm D x 795mm H• 16½" W x 27¼" D x 31¼" H					
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR		
4740BOXU	• Suto - Plus Height, Compact Elongated, Two Piece Toilet, Unlined Tank (Toilet seat not included)	75.00 lbs	8	Soft White		
	RECOMMENDED SEAT (SOLD SEPARATELY)		CASE PACK (PCS)			
TS7150SC	• Smooth Close Elongated Plastic Toilet Seat	3.74 lbs	10	Soft White		



Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

ULTRA HIGH EFFICIENCY 3.5LPF / 0.92GPF

<div>CATO</div> <div></div>	<div>DESCRIPTION</div> <div><ul style="list-style-type: none">• Ultra High Efficiency 3.5Lpf / 0.92Gpf• Elongated bowl• Vitreous china• 15½" Bowl height• Soft white tank lever• 12" (305mm) Rough-in• 1¾" Fully glazed ball pass trapway• 3" Flapper• Siphon jet flush action• Water surface: 8" x 6" (205mm x 150mm)• Toilet seat not included• Meets EPA WaterSense criteria• MaP Premium Tested 800g</div> <div><div>NOMINAL DIMENSIONS</div><ul style="list-style-type: none">• 440mm W x 744mm D x 803mm H• 17¼" W x 29¼" D x 31½" H</div> <div><div></div><div></div></div>				
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR	
5730BEXU	• Cato - Elongated, Two Piece Toilet, Unlined Tank (Toilet seat not included)	76.50 lbs	8	Soft White	
	RECOMMENDED SEAT (SOLD SEPARATELY)		CASE PACK (PCS)		
TS7150SC	• Smooth Close Elongated Plastic Toilet Seat	3.74 lbs	10	Soft White	




ULTRA HIGH EFFICIENCY 3.5LPF / 0.92GPF

<div>CADELL</div> <div></div>	<div>DESCRIPTION</div> <div><ul style="list-style-type: none">• Ultra High Efficiency 3.5Lpf / 0.92Gpf• Round front bowl• Vitreous china• 15½" Bowl height• Soft white tank lever• 12" (305mm) Rough-in• 1¾" Fully glazed ball pass trapway• 3" Flapper• Siphon jet flush action• Water surface: 8⅞" x 6¼" (225mm x 160mm)• Toilet seat not included• Meets EPA WaterSense criteria• MaP Premium Tested 800g</div> <div><div><div>NOMINAL DIMENSIONS</div><ul style="list-style-type: none">• 440mm W x 690mm D x 803mm H• 17¼" W x 27⅞" D x 31⅝" H</div><div><div>WaterSense</div><div>Meets EPA Criteria</div></div><div><div>MaP</div><div>PREMIUM</div></div></div>				
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR	
5730BFXU	• Cadell - Round Front, Two Piece Toilet, Unlined Tank (Toilet seat not included)	71.00 lbs	8	Soft White	
	RECOMMENDED SEAT (SOLD SEPARATELY)		CASE PACK (PCS)		
TS6121SC	• Smooth Close Round Front Plastic Toilet Seat	3.30 lbs	10	Soft White	




Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

HIGH EFFICIENCY DUAL FLUSH 4.8Lpf / 1.28GPF OR 3.0Lpf / 0.8GPF

<div>CAMRI</div> <div></div>	<div>DESCRIPTION</div> <div><ul style="list-style-type: none">• High Efficiency Dual Flush 4.8Lpf / 1.28Gpf or 3.0Lpf / 0.8Gpf• Elongated bowl• Vitreous china• 15½" Bowl height• Soft white top push button• 12" (305mm) Rough-in• 1¾" Fully glazed ball pass trapway• 3" Dual flush valve• Siphon jet flush action• Water Surface: 8" x 6" (205mm x 150mm)• Toilet seat not included• Meets EPA WaterSense criteria• MaP Premium Tested 800g</div> <div><div><div>NOMINAL DIMENSIONS</div><ul style="list-style-type: none">• 440mm W x 743mm D x 803mm H• 17⅜" W x 29¼" D x 31⅝" H</div><div><div></div><div></div></div></div>				
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR	
4720BLWU	• Camri - Dual Flush, Elongated, Two Piece Toilet, Unlined Tank (Toilet seat not included)	72.16 lbs	8	Soft White	
	RECOMMENDED SEAT (SOLD SEPARATELY)		CASE PACK (PCS)		
TS7150SC	• Smooth Close Elongated Plastic Toilet Seat	3.74 lbs	10	Soft White	


HIGH EFFICIENCY DUAL FLUSH 4.8Lpf / 1.28GPF OR 3.0Lpf / 0.8GPF

<div>CARSON</div> <div></div>	<div>DESCRIPTION</div> <div><ul style="list-style-type: none">• High Efficiency Dual Flush 4.8Lpf / 1.28Gpf or 3.0Lpf / 0.8Gpf• Round front bowl• Vitreous china• 15½" Bowl height• Soft white top push button• 12" (305mm) Rough-in• 1¾" Fully glazed ball pass trapway• 3" Dual flush valve• Siphon jet flush action• Water surface: 8⅞" x 6¼" (225mm x 160mm)• Toilet seat not included• Meets EPA WaterSense criteria• MaP Premium Tested 1000g</div> <div><div><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div><div>WATERSENSE EPA</div></div><div><div>MaP</div><div>PREMIUM</div></div></div>			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4720BPWU	<ul style="list-style-type: none">• Carson - Dual Flush, Round Front, Two Piece Toilet, Unlined Tank (Toilet seat not included)	67.76 lbs	8	Soft White
	RECOMMENDED SEAT (SOLD SEPARATELY)		CASE PACK (PCS)	
TS6121SC	<ul style="list-style-type: none">• Smooth Close Round Front Plastic Toilet Seat	3.30 lbs	10	Soft White

HIGH EFFICIENCY 4.8LPF / 1.28GPF

VIEIRA	DESCRIPTION			
	 <ul style="list-style-type: none"> • High Efficiency 4.8Lpf / 1.28Gpf • Elongated bowl with concealed skirted trapway • Vitreous china • 17" Plus Height for greater comfort • Soft white tank lever • 12" (305mm) Rough-in • 2" Fully glazed trapway • 3" Flapper • Siphon jet flush action • Water surface: 8$\frac{7}{8}$" x 6$\frac{1}{4}$" (225mm x 159mm) • Decorative soft white side caps included • Smooth close toilet seat included • Meets EPA WaterSense criteria • MaP Tested 1000g <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 380mm W x 720mm D x 783mm H • 15" W x 28$\frac{1}{4}$" D x 30$\frac{3}{8}$" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
	Vieira - Plus Height, Concealed Elongated, Two Piece Toilet, Unlined Tank with Smooth Close Toilet Seat			Soft White
4792BOV	• Plus Height, Concealed Elongated Bowl with Smooth Close Toilet Seat	76.34 lbs	9	Soft White
4791BOVU	• Unlined Tank	29.04 lbs	30	Soft White

HIGH EFFICIENCY 4.8LPF / 1.28GPF

CAYLA	DESCRIPTION			
	 <ul style="list-style-type: none"> • High Efficiency 4.8Lpf / 1.28Gpf • Elongated bowl with concealed skirted trapway • Vitreous china • 16$\frac{1}{2}$" Plus Height for greater comfort • Soft white tank lever • 12" (305mm) Rough-in • 2" Fully glazed ball pass trapway • 3" Flapper • Siphon jet flush action • Water surface: 9$\frac{1}{2}$" x 6$\frac{5}{8}$" (240mm x 170mm) • Decorative soft white side caps included • Smooth close toilet seat included • Meets EPA WaterSense criteria • MaP Tested 1000g <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 382mm W x 722mm D x 788mm H • 15" W x 28$\frac{1}{2}$" D x 31" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
	Cayla - Plus Height, Concealed Elongated, Two Piece Toilet, Unlined Tank with Smooth Close Toilet Seat			Soft White
4782BOV	• Plus Height, Concealed Elongated Bowl, with Smooth Close Toilet Seat	73.00 lbs	9	Soft White
4781BOVU	• Unlined Tank	25.30 lbs	30	Soft White
	Cayla - Plus Height, Concealed Elongated, Two Piece Touchless Toilet Unlined Tank with Smooth Close Toilet Seat			Soft White
4782BOV	• Plus Height, Concealed Elongated Bowl, with Smooth Close Toilet Seat	73.00 lbs	9	Soft White
4781BOVU-HF	• Cane - Unlined Tank with Touchless Sensor	30.30 lbs	30	Soft White



Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

HIGH EFFICIENCY 4.8LPF / 1.28GPF OR 3.0LPF / 0.8GPF

AVENAL	DESCRIPTION			
	<ul style="list-style-type: none"> • High Efficiency 4.8Lpf / 1.28Gpf or 3.0Lpf / 0.8Gpf • Elongated bowl with concealed skirted trapway • Vitreous china • 16½" Plus Height for greater comfort • Chrome rectangular top push button • 12" (305mm) Rough-in • 2" Fully glazed ball pass trapway • 3" Flapper • Siphon jet flush action • Water surface: 9" x 5¼" (230mm x 145mm) • Decorative soft white side caps included • Slim smooth close toilet seat included • Meets EPA WaterSense criteria • MaP Tested 1000g <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 402mm W x 722mm D x 797mm H • 15½" W x 28¾" D x 31½" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
	Avenal - Plus Height, Dual Flush Elongated, Two Piece Toilet, Unlined Tank with Slim Smooth Close Toilet Seat			Soft White
4772HNW	• Plus Height, Concealed Elongated Bowl with Slim Smooth Close Toilet Seat	81.40 lbs	8	Soft White
4771HNWU	• Dual Flush Unlined Tank	28.38 lbs	8	Soft White

HIGH EFFICIENCY 4.8LPF / 1.28GPF

AVENAL	DESCRIPTION			
	<ul style="list-style-type: none"> • High Efficiency 4.8Lpf / 1.28Gpf • Elongated bowl with concealed skirted trapway • Vitreous china • 16½" Plus Height for greater comfort • Chrome tank lever • 12" (305mm) Rough-in • 2" Fully glazed ball pass trapway • 3" Flapper • Siphon jet flush action • Water surface: 9" x 5¼" (230mm x 145mm) • Decorative soft white side caps included • Slim smooth close toilet seat included • Meets EPA WaterSense criteria • MaP Tested 1000g <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 402mm W x 722mm D x 797mm H • 15½" W x 28¾" D x 31½" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
	Avenal - Plus Height, Elongated, Two Piece Toilet, Unlined Tank with Slim Smooth Close Toilet Seat			Soft White
4772HNW	• Plus Height, Concealed Elongated Bowl with Slim Smooth Close Toilet Seat	81.40 lbs	8	Soft White
4771HHVU	• Unlined Tank	28.38 lbs	8	Soft White



Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.



HIGH EFFICIENCY 4.8LPF / 1.28GPF

SANFORD PRO-LINE		DESCRIPTION		
		<ul style="list-style-type: none"> • High Efficiency 4.8Lpf / 1.28Gpf • Round front or Elongated bowl • Vitreous china • 16$\frac{5}{8}$" Plus Height for greater comfort • Chrome tank lever • 12" (305mm) Rough-in • Fully glazed ball pass trapway • High quality Fluidmaster tank fittings and metal shank • Siphon jet flush action • Water surface: 9" x 5$\frac{3}{4}$" (230mm x 145mm) • Toilet seat not included • Meets EPA WaterSense criteria • MaP Tested 1000g <div> <div> NOMINAL DIMENSIONS Round Front Bowl <ul style="list-style-type: none"> • 410mm W x 672mm D x 787mm H • 16$\frac{1}{8}$" W x 26$\frac{1}{2}$" D x 31" H </div> <div> Elongated Bowl <ul style="list-style-type: none"> • 410mm W x 699mm D x 787mm H • 16$\frac{1}{8}$" W x 27$\frac{1}{2}$" D x 31" H </div> </div>		
				
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
	Sanford Pro-Line - Plus Height, Round Front, Two Piece Toilet, Unlined Tank (Toilet seat not included)			Soft White
4752HRV	• Plus Height, Round Front Bowl	52.50 lbs	18	Soft White
4751HRVU	• Unlined Tank	27.00 lbs	30	Soft White
	Sanford Pro-Line - Plus Height, Round Front, Two Piece Toilet, Lined Tank (Toilet seat not included)			Soft White
4752HRV	• Plus Height, Round Front Bowl	52.50 lbs	18	Soft White
4751HRV	• Lined Tank	27.00 lbs	30	Soft White
	Sanford Pro-Line - Plus Height, Elongated, Two Piece Toilet, Unlined Tank (Toilet seat not included)			Soft White
4752HEV	• Plus Height, Elongated Bowl	52.25 lbs	18	Soft White
4751HRVU	• Unlined Tank	27.00 lbs	30	Soft White
	Sanford Pro-Line - Plus Height, Elongated, Two Piece Toilet, Lined Tank (Toilet seat not included)			Soft White
4752HEV	• Plus Height, Elongated Bowl	52.25 lbs	18	Soft White
4751HRV	• Lined Tank	27.00 lbs	30	Soft White
	RECOMMENDED SEAT (SOLD SEPARATELY)		CASE PACK (PCS)	
TS6121SC	• Smooth Close Round Front Plastic Toilet Seat	3.30 lbs	10	Soft White
TS7150SC	• Smooth Close Elongated Plastic Toilet Seat	3.74 lbs	10	Soft White



Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

HIGH EFFICIENCY 4.8LPF / 1.28GPF

VANNES	DESCRIPTION			
	 <ul style="list-style-type: none"> • High Efficiency 4.8Lpf / 1.28Gpf • Compact elongated bowl • Vitreous china • 17" Plus Height for greater comfort • Chrome tank lever • 12" (305mm) Rough-in • Fully glazed ball pass trapway • 3" Flapper • Siphon jet flush action • Water surface: 9" x 5 3/4" (230mm x 145mm) • Oversized footprint • Toilet seat not included • Meets EPA WaterSense criteria • MaP Tested 1000g <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 420mm W x 690mm D x 795mm H • 16 1/2" W x 27 1/8" D x 31 1/4" H   			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4720BCVU (BEING DISCONTINUED)	Vannes - Plus Height, Compact Elongated, Two Piece Toilet, Unlined Tank (Toilet seat not included)	76.28 lbs	8	Soft White
	RECOMMENDED SEAT (SOLD SEPARATELY)		CASE PACK (PCS)	
TS7150SC	• Smooth Close Elongated Plastic Toilet Seat	3.74 lbs	10	Soft White



Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

HIGH EFFICIENCY 4.8Lpf / 1.28GPF

CAVEN	DESCRIPTION			
	<ul style="list-style-type: none"> • High Efficiency 4.8Lpf / 1.28Gpf • Round front bowl • Vitreous china • 17" Plus Height for greater comfort • Chrome tank lever • 12" (305mm) Rough-in • 2" Fully glazed ball pass trapway • 3" Flapper • Siphon jet flush action • Water surface: 8$\frac{5}{8}$" x 6$\frac{1}{4}$" (220mm x 160mm) • Toilet seat not included • Meets EPA WaterSense criteria • MaP Tested 1000g <p>NOMINAL DIMENSIONS*</p> <ul style="list-style-type: none"> • 440mm W x 702mm D x 800mm H • 17$\frac{1}{4}$" W x 27$\frac{3}{8}$" D x 31$\frac{1}{2}$" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
	*Caven - Plus Height, Round Front 12" Rough-In, Two Piece Toilet, Unlined Tank (Toilet seat not included)			Soft White
4722BRV	• Plus Height, Round Front Bowl	56.00 lbs	18	Soft White
4721BFVU	• Cane - Unlined Tank	28.00 lbs	30	Soft White
	*Caven - Plus Height, Round Front 12" Rough-In, Two Piece Toilet, Lined Tank (Toilet seat not included)			Soft White
4722BRV	• Plus Height, Round Front Bowl	56.00 lbs	18	Soft White
4721BFV	• Cane - Lined Tank	28.00 lbs	30	Soft White
	*Caven - Plus Height, Round Front 12" Rough-In, Two Piece Toilet, Lined Locking Tank (Toilet seat not included)			Soft White
4722BRV	• Plus Height, Round Front Bowl	56.00 lbs	18	Soft White
4721BFV-L	• Cane Lined Tank, Locking Tank	28.00 lbs	30	Soft White
	*Caven - Plus Height, Round Front 12" Rough-In, Two Piece Toilet, Lined Right Hand Tank Lever (Toilet seat not included)			Soft White
4722BRV	• Plus Height, Round Front Bowl	56.00 lbs	18	Soft White
4721BFV-RH	• Cane - Lined Tank, Right Hand Tank Lever	28.00 lbs	30	Soft White
	*Caven - Plus Height, Round Front 12" Rough-In, Two Piece Toilet, Lined Right Hand Tank Lever with Locking Lid (Toilet seat not included)			Soft White
4722BRV	• Plus Height, Round Front Bowl	56.00 lbs	18	Soft White
4721BFV-RH-L	• Cane - Lined Tank, Right Hand Tank Lever with Locking Lid	28.00 lbs	30	Soft White
	Caven - Plus Height, Round Front 10" Rough-In, Two Piece Toilet, Unlined Tank (Toilet seat not included)			Soft White
4722BRV	• Plus Height, Round Front Bowl	56.00 lbs	18	Soft White
4700BFVU	• Cane - Unlined Tank, 10" Rough-In	23.32 lbs	30	Soft White
	Caven - Plus Height, Round Front 12" Rough-In, Two Piece Touchless Toilet (Toilet seat not included)			Soft White
4722BRV	• Plus Height, Round Front Bowl	56.00 lbs	18	Soft White
4721BFV-HF	• Cane - Lined Tank with Touchless Sensor	30.60 lbs	30	Soft White
4721BFVU-HF	• Cane - Unlined Tank with Touchless Sensor	30.30 lbs	30	Soft White
	RECOMMENDED SEAT (SOLD SEPARATELY)		CASE PACK (PCS)	
TS6121SC	• Smooth Close Round Front Plastic Toilet Seat	3.30 lbs	10	Soft White



Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

HIGH EFFICIENCY 4.8LPF / 1.28GPF

CRISTA



DESCRIPTION

- High Efficiency 4.8Lpf / 1.28Gpf
- Elongated bowl
- Vitreous china
- 17" Plus Height for greater comfort
- Chrome tank lever
- 12" (305mm) Rough-in
- 2" Fully glazed ball pass trapway
- 3" Flapper
- Siphon jet flush action
- Water surface: 8½" x 6⅝" (216mm x 155mm)
- Toilet seat not included
- Meets EPA WaterSense criteria
- MaP Tested 1000g



NOMINAL DIMENSIONS*

- 440mm W x 740mm D x 790mm H
- 17¼" W x 29⅝" D x 31" H

	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
	*Crista - Plus Height, Elongated 12" Rough-In, Two Piece Toilet, Unlined Tank (Toilet seat not included)			Soft White
4722BHV	• Plus Height, Elongated Bowl	46.00 lbs	18	Soft White
4721BFVU	• Cane - Unlined Tank	28.00 lbs	30	Soft White
	*Crista - Plus Height, Elongated 12" Rough-In, Two Piece Toilet, Lined Tank (Toilet seat not included)			Soft White
4722BHV	• Plus Height, Elongated Bowl	46.00 lbs	18	Soft White
4721BFV	• Cane - Lined Tank	28.00 lbs	30	Soft White
	*Crista - Plus Height, Elongated 12" Rough-In, Two Piece Toilet, Lined Locking Tank (Toilet seat not included)			Soft White
4722BHV	• Plus Height, Elongated Bowl	46.00 lbs	18	Soft White
4721BFV-L	• Cane Lined Tank, Locking Tank	28.00 lbs	30	Soft White
	*Crista - Plus Height, Elongated 12" Rough-In, Two Piece Toilet, Lined Right Hand Tank Lever (Toilet seat not included)			Soft White
4722BHV	• Plus Height, Elongated Bowl	46.00 lbs	18	Soft White
4721BFV-RH	• Cane - Lined Tank, Right Hand Tank Lever	28.00 lbs	30	Soft White
	*Crista - Plus Height, Elongated 12" Rough-In, Two Piece Toilet, Lined Right Hand Tank Lever with Locking Lid (Toilet seat not included)			Soft White
4722BHV	• Plus Height, Elongated Bowl	46.00 lbs	18	Soft White
4721BFV-RH-L	• Cane - Lined Tank, Right Hand Tank Lever with Locking Lid	28.00 lbs	30	Soft White
	Crista - Plus Height, Elongated 10" Rough-In, Two Piece Toilet, Unlined Tank (Toilet seat not included)			Soft White
4722BHV	• Plus Height, Elongated Bowl	46.00 lbs	18	Soft White
4700BFVU	• Cane - Unlined Tank, 10" Rough-In	23.32 lbs	30	Soft White
	*Crista - Plus Height, Elongated 12" Rough-In, Two Piece Touchless Toilet (Toilet seat not included)			Soft White
4722BHV	• Plus Height, Elongated Bowl	46.00 lbs	18	Soft White
4721BFV-HF	• Cane - Lined Tank with Touchless Sensor	30.60 lbs	30	Soft White
4721BFVU-HF	• Cane - Unlined Tank with Touchless Sensor	30.30 lbs	30	Soft White
	RECOMMENDED SEAT (SOLD SEPARATELY)		CASE PACK (PCS)	
TS7150SC	• Smooth Close Elongated Plastic Toilet Seat	3.74 lbs	10	Soft White



Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

HIGH EFFICIENCY 4.8Lpf / 1.28GPF

<div>CODY</div> 	DESCRIPTION			
	<ul style="list-style-type: none"> • High Efficiency 4.8Lpf / 1.28Gpf • Elongated bowl • Vitreous china • 15½" Bowl height • Chrome tank lever • 12" (305mm) Rough-in • 2" Fully glazed ball pass trapway • 3" Flapper • Siphon jet flush action • Water surface: 8½" x 6½" (216mm x 165mm) • Toilet seat not included • Meets EPA WaterSense criteria • MaP Tested 1000g <p>NOMINAL DIMENSIONS*</p> <ul style="list-style-type: none"> • 440mm W x 725mm D x 760mm H • 17¼" W x 28½" D x 30" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
	*Cody - Elongated 12" Rough-In, Two Piece Toilet, Unlined Tank (Toilet seat not included)			Soft White
4722BEV	• Elongated Bowl	46.00 lbs	18	Soft White
4721BFVU	• Cane - Unlined Tank	28.00 lbs	30	Soft White
	*Cody - Elongated 12" Rough-In, Two Piece Toilet, Lined Tank (Toilet seat not included)			Soft White
4722BEV	• Elongated Bowl	46.00 lbs	18	Soft White
4721BFV	• Cane - Lined Tank	28.00 lbs	30	Soft White
	*Cody - Elongated 12" Rough-In, Two Piece Toilet, Lined Locking Tank (Toilet seat not included)			Soft White
4722BEV	• Elongated Bowl	46.00 lbs	18	Soft White
4721BFV-L	• Cane Lined Tank, Locking Tank	28.00 lbs	30	Soft White
	Cody - Elongated 12" Rough-In, Two Piece Toilet, Unlined Low Profile Tank (Toilet seat not included)			Soft White
4722BEV	• Elongated Bowl	46.00 lbs	18	Soft White
4721BFVU-LT	• Cane - Unlined Tank, Low Profile Tank	28.00 lbs	30	Soft White
	*Cody - Elongated 12" Rough-In, Two Piece Toilet, Lined Right Hand Tank Lever (Toilet seat not included)			Soft White
4722BEV	• Elongated Bowl	46.00 lbs	18	Soft White
4721BFV-RH	• Cane - Lined Tank, Right Hand Tank Lever	28.00 lbs	30	Soft White
	*Cody - Plus Height, Elongated 12" Rough-In, Two Piece Toilet, Lined Right Hand Tank Lever with Locking Lid (Toilet seat not included)			Soft White
4722BEV	• Elongated Bowl	46.00 lbs	18	Soft White
4721BFV-RH-L	• Cane - Lined Tank, Right Hand Tank Lever with Locking Lid	28.00 lbs	30	Soft White
	Cody - Elongated 10" Rough-In, Two Piece Toilet, Unlined Tank (Toilet seat not included)			Soft White
4722BEV	• Elongated Bowl	46.00 lbs	18	Soft White
4700BFVU	• Cane - Unlined Tank, 10" Rough-In	23.32 lbs	30	Soft White
	*Cody - Elongated 12" Rough-In, Two Piece Toilet, Unlined Tank (Toilet seat not included)			Soft White
4722BEV	• Elongated Bowl	46.00 lbs	18	Soft White
4721BFV-HF	• Cane - Lined Tank with Touchless Sensor	30.60 lbs	30	Soft White
4721BFVU-HF	• Cane - Unlined Tank with Touchless Sensor	30.30 lbs	30	Soft White
	RECOMMENDED SEAT (SOLD SEPARATELY)		CASE PACK (PCS)	
TS7150SC	• Smooth Close Elongated Plastic Toilet Seat	3.74 lbs	10	Soft White



Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

HIGH EFFICIENCY 4.8Lpf / 1.28GPF

CARLIN



DESCRIPTION

- High Efficiency 4.8Lpf / 1.28Gpf
- Round front bowl
- Vitreous china
- 15½" Bowl height
- Chrome tank lever
- 12" (305mm) Rough-in
- 2" Fully glazed ball pass trapway
- 3" Flapper
- Siphon jet flush action
- Water surface: 8¼" x 6⅝" (209mm x 155mm)
- Toilet seat not included
- Meets EPA WaterSense criteria
- MaP Tested 1000g



NOMINAL DIMENSIONS*

- 440mm W x 670mm D x 765mm H
- 17¼" W x 26⅝" D x 30⅜" H

	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
	*Carlin - Round Front 12" Rough-In, Two Piece Toilet, Unlined Tank (Toilet seat not included)			Soft White
4722BFV	• Round Front Bowl	42.00 lbs	18	Soft White
4721BFVU	• Cane - Unlined Tank	28.00 lbs	30	Soft White
	*Carlin - Round Front 12" Rough-In, Two Piece Toilet, Lined Tank (Toilet seat not included)			Soft White
4722BFV	• Round Front Bowl	42.00 lbs	18	Soft White
4721BFV	• Cane - Lined Tank	28.00 lbs	30	Soft White
	*Carlin - Round Front 12" Rough-In, Two Piece Toilet, Lined Locking Tank (Toilet seat not included)			Soft White
4722BFV	• Round Front Bowl	42.00 lbs	18	Soft White
4721BFV-L	• Cane Lined Tank, Locking Tank	28.00 lbs	30	Soft White
	Carlin - Round Front 12" Rough-In, Two Piece Toilet, Unlined Low Profile Tank (Toilet seat not included)			Soft White
4722BFV	• Round Front Bowl	42.00 lbs	18	Soft White
4721BFVU-LT	• Cane - Unlined Tank, Low Profile Tank	28.00 lbs	30	Soft White
	*Carlin - Round Front 12" Rough-In, Two Piece Toilet, Lined Right Hand Tank Lever (Toilet seat not included)			Soft White
4722BFV	• Round Front Bowl	42.00 lbs	18	Soft White
4721BFV-RH	• Cane - Lined Tank, Right Hand Tank Lever	28.00 lbs	30	Soft White
	*Carlin - Round Front 12" Rough-In, Two Piece Toilet, Lined Right Hand Tank Lever with Locking Lid (Toilet seat not included)			Soft White
4722BFV	• Round Front Bowl	42.00 lbs	18	Soft White
4721BFV-RH-L	• Cane - Lined Tank, Right Hand Tank Lever with Locking Lid	28.00 lbs	30	Soft White
	Carlin - Round Front 10" Rough-In, Two Piece Toilet, Unlined Tank (Toilet seat not included)			Soft White
4722BFV	• Round Front Bowl	42.00 lbs	18	Soft White
4700BFVU	• Cane - Unlined Tank, 10" Rough-In	23.32 lbs	30	Soft White
	*Carlin - Round Front 12" Rough-In, Two Piece Touchless Toilet (Toilet seat not included)			Soft White
4722BFV	• Round Front Bowl	42.00 lbs	18	Soft White
4721BFV-HF	• Cane - Lined Tank with Touchless Sensor	30.60 lbs	30	Soft White
4721BFVU-HF	• Cane - Unlined Tank with Touchless Sensor	30.30 lbs	30	Soft White
	RECOMMENDED SEAT (SOLD SEPARATELY)		CASE PACK (PCS)	
TS6121SC	• Smooth Close Round Front Plastic Toilet Seat	3.30 lbs	10	Soft White




Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.






<div>TELESCOPIC</div> <div></div>	DESCRIPTION			
	<div><ul style="list-style-type: none">• Smooth close plastic toilet seat• Fits all standard elongated toilet bowls• Individually boxed• 6 Pieces in a master carton</div> <div>NOMINAL DIMENSIONS<ul style="list-style-type: none">• 367mm W x 495mm D x 57mm H• 14⅜" W x 19½" D x 2¼" H</div> <div></div>			
	PRODUCTS	NET WT	CARTON	COLOUR
TS6020SC	• Elongated Telescopic Smooth Close Toilet Seat	3.88 lbs	6	Soft White

<div>ELONGATED</div> <div></div>	DESCRIPTION			
	<div><ul style="list-style-type: none">• Smooth close plastic toilet seat• Fits all standard elongated toilet bowls• Individually boxed• 5 Pieces in a master carton</div> <div>NOMINAL DIMENSIONS<ul style="list-style-type: none">• 355mm W x 470mm D x 42mm H• 14" W x 18½" D x 1⅝" H</div> <div></div>			
	PRODUCTS	NET WT	CARTON	COLOUR
TS7150SC	• Smooth Close Elongated Plastic Toilet Seat	3.74 lbs	5	Soft White

<div>ROUND</div> <div></div>	DESCRIPTION			
	<div><ul style="list-style-type: none">• Smooth close plastic toilet seat• Fits all standard round front toilet bowls• Individually boxed• 5 Pieces in a master carton</div> <div>NOMINAL DIMENSIONS<ul style="list-style-type: none">• 355mm W x 420mm D x 57mm H• 14" W x 16½" D x 2¼" H</div> <div></div>			
	PRODUCTS	NET WT	CARTON	COLOUR
TS6121SC	• Smooth Close Round Front Plastic Toilet Seat	3.30 lbs	5	Soft White



BIDET

<div>CALE</div> 	DESCRIPTION			
	<ul style="list-style-type: none">• Vitreous china• 15½" Bowl height• 4 Holes (3 faucet holes with 8" center and 1 small hole for pop-up rod)• Fits deck mounted fitting• Flushing rim• Vertical cleansing spray• Integral overflow• Faucet not included <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none">• 374mm W x 645mm D x 395mm H• 14¾" W x 25⅜" D x 15½" H			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4830BLX	• 4-Hole Bidet	39.93 lbs	18	Soft White



AT A GLANCE - BATHROOM *SINKS*

PEDESTALS

38

40	CAPRICE
39	PINEVIEW
38	VIEIRA

DROP-IN SINKS

42

43	CAILYN
42	CATALINA
42	CURTIS
44	LOLAND
44	REAVES
45	RUSSO
43	VIEIRA

UNDERMOUNT SINKS

47

47	CAMDEN
49	CALVIN
48	CATENA
48	CATENA PETITE
47	COLLETTE
49	CONNOR
50	EMERY
50	EMERY PETITE

VESSEL SINKS

52

52	ABBI
54	BROOKE
53	CONWICK
53	SIMONA

VIEIRA



DESCRIPTION

- Transitional design
- Fine fireclay
- Rear overflow hole
- Single hole or 4" faucet centers
- Mounting hardware supplied
- Faucet not included

NOMINAL DIMENSIONS

- 626mm W x 485mm D x 883mm H
- 24 $\frac{5}{8}$ " W x 19" D x 34 $\frac{3}{4}$ " H

	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
	Vieira - Pedestal Basin & Leg Combination, Single Hole Faucet Drilling			Soft White
4319DHX	• Pedestal Basin, Single Hole Faucet Drilling	44.00 lbs	18	Soft White
4390DHX	• Basin Leg	22.44 lbs	36	Soft White
	Vieira - Pedestal Basin & Leg Combination, 4" Center Faucet Drilling			Soft White
4349DHX	• Pedestal Basin, 4" Center Faucet Drilling	44.00 lbs	18	Soft White
4390DHX	• Basin Leg	22.44 lbs	36	Soft White



Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

PINEVIEW	DESCRIPTION			
	<ul style="list-style-type: none"> • Modern rectangular basin • Vitreous china • Rear overflow hole • Single hole, 4", or 8" faucet centers • Mounting hardware supplied • Faucet not included <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 560mm W x 472mm D x 860mm H • 22" W x 18$\frac{5}{8}$" D x 33$\frac{7}{8}$" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
	Pineview - Pedestal Sink & Leg Combination, Single Hole Faucet Drilling			Soft White
4313DSX	• Pedestal Basin, Single Hole Faucet Drilling	44.00 lbs	27	Soft White
4344DMX	• Basin Leg for Caprice and Pineview	20.50 lbs	48	Soft White
	Pineview - Pedestal Sink & Leg Combination, 4" Center Faucet Drilling			Soft White
4343DSX	• Pedestal Basin, 4" Center Faucet Drilling	44.00 lbs	27	Soft White
4344DMX	• Basin Leg for Caprice and Pineview	20.50 lbs	48	Soft White
	Pineview - Pedestal Sink & Leg Combination, 8" Center Faucet Drilling			Soft White
4383DSX	• Pedestal Basin, 8" Center Faucet Drilling	44.00 lbs	27	Soft White
4344DMX	• Basin Leg for Caprice and Pineview	20.50 lbs	48	Soft White
	Pineview - Pedestal Sink & Leg, Single Hole Faucet Drilling			
4310DSX-077	• Pedestal Basin + Leg, Single Hole Faucet Drilling	65.00 lbs	12	Matte Black
4310DSX-088	• Pedestal Basin + Leg, Single Hole Faucet Drilling	65.00 lbs	12	Slate Grey

	
4310DSX-077 Matte Black	4310DSX-088 Slate Grey



Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

CAPRICE



DESCRIPTION

- Transitional design
- Vitreous china
- Rear overflow hole
- Single hole, 4", or 8" faucet centers
- Mounting hardware supplied
- Faucet not included

NOMINAL DIMENSIONS

- 580mm W x 482mm D x 865mm H
- 22¾" W x 19" D x 34" H

	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
	Caprice - Pedestal Basin & Leg Combination, Single Hole Faucet Drilling			Soft White
4313DMX	• Pedestal Basin, Single Hole Faucet Drilling	39.00 lbs	27	Soft White
4344DMX	• Basin Leg for Caprice and Pineview	20.50 lbs	48	Soft White
	Caprice - Pedestal Sink & Leg Combination, 4" Center Faucet Drilling			Soft White
4343DMX	• Pedestal Basin, 4" Center Faucet Drilling	39.00 lbs	27	Soft White
4344DMX	• Basin Leg for Caprice and Pineview	20.50 lbs	48	Soft White
	Caprice - Pedestal Sink & Leg Combination, 8" Center Faucet Drilling			Soft White
4383DMX	• Pedestal Basin, 8" Center Faucet Drilling	39.00 lbs	27	Soft White
4344DMX	• Basin Leg for Caprice and Pineview	20.50 lbs	48	Soft White



Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.



CATALINA



DESCRIPTION

- Oval Drop-in Sink
- Vitreous china
- Front overflow hole
- Single hole, 4" or 8" faucet centers
- Template supplied
- Faucet not included



OUTER DIMENSIONS

- 514mm W x 432mm D x 194mm H
- 20¼" W x 17" D x 7⅝" H

* SPECIAL ORDER ONLY

- 4110BGW-SO - Single Hole (Sealed Overflow)
- 4140BGW-SO - 4" Center (Sealed Overflow)

	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4110BGW	• Catalina - Faucet Hole - Center Hole Only	15.99 lbs	54	Soft White
4140BGW	• Catalina - Faucet Hole on 4" (102mm) Center	15.99 lbs	54	Soft White
4180BGW	• Catalina - Faucet Hole on 8" (203mm) Center	15.99 lbs	54	Soft White
4110BGW-SO*	• Catalina - Faucet Hole - Center Hole Only (Sealed Overflow) *Special Order	15.99 lbs	54	Soft White
4140BGW-SO*	• Catalina - Faucet Hole on 4" (102mm) Center (Sealed Overflow) *Special Order	15.99 lbs	54	Soft White

CURTIS



DESCRIPTION



- Semi-Oval Drop-In Sink
- Vitreous china
- Front overflow hole
- 4" Faucet center
- Template supplied
- Faucet not included




OUTER DIMENSIONS

- 525mm W x 435mm D x 195mm H
- 20⅝" W x 17⅝" D x 7⅝" H

	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4140BEW	• Curtis - Faucet Hole on 4" (102mm) Center	15.40 lbs	54	Soft White

 CAILYN	DESCRIPTION			
	<ul style="list-style-type: none"> • Round Drop-in Sink • Vitreous china • Front overflow hole • Single hole or 4" faucet centers • Template supplied • Faucet not included  <p>OUTER DIMENSIONS</p> <ul style="list-style-type: none"> • 484mm W x 484mm D x 206mm H • 19" W x 19" D x 8 1/8" H <p>* SPECIAL ORDER ONLY</p> <p>4110BRW-SO - Single Hole (Sealed Overflow)</p> <p>4140BRW-SO - 4" Center (Sealed Overflow)</p>			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4110BRW	• Cailyn - Faucet Hole - Center Hole Only	19.00 lbs	54	Soft White
4140BRW	• Cailyn - Faucet Hole on 4" (102mm) Center	19.00 lbs	54	Soft White
4110BRW-SO*	• Cailyn - Faucet Hole - Center Hole Only (Sealed Overflow) *Special Order	19.00 lbs	54	Soft White
4110BRW-SO*	• Cailyn - Faucet Hole on 4" (102mm) Center (Sealed Overflow) *Special Order	19.00 lbs	54	Soft White

 VIEIRA	DESCRIPTION			
	<ul style="list-style-type: none"> • Rectangular Drop-in Sink • Transitional design • Fine fireclay • Rear overflow hole • Single hole, 4" or 8" faucet centers • Template supplied • Faucet not included <p>OUTER DIMENSIONS</p> <ul style="list-style-type: none"> • 570mm W x 470mm D x 205mm H • 22 3/8" W x 18 1/2" D x 8" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4119DHW	• Vieira - Faucet Hole - Center Hole Only	24.00 lbs	28	Soft White
4149DHW	• Vieira - Faucet Hole on 4" (102mm) Center	24.00 lbs	28	Soft White
4189DHW	• Vieira - Faucet Hole on 8" (203mm) Center	24.00 lbs	28	Soft White



Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

LOLAND



DESCRIPTION

- Rectangular Drop-in Sink
- Fine fireclay
- Front overflow hole
- Single hole, 4" or 8" faucet centers
- Template supplied
- Faucet not included



OUTER DIMENSIONS

- 540mm W x 460mm D x 180mm H
- 21¼" W x 18⅞" D x 7⅞" H

	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4410BST	• Loland - Faucet Hole - Center Hole Only	21.71 lbs	28	Soft White
4440BST	• Loland - Faucet Hole on 4" (102mm) Center	21.71 lbs	28	Soft White
4480BST	• Loland - Faucet Hole on 8" (203mm) Center	21.71 lbs	28	Soft White

REAVES



DESCRIPTION



- Rectangular Drop-in Sink
- Sloped interior bowl design
- Fine fireclay
- Rear overflow hole
- Single hole, 4" or 8" faucet centers
- Template supplied
- Faucet not included



OUTER DIMENSIONS

- 515mm W x 440mm D x 190mm H
- 20¼" W x 17⅞" D x 7½" H


	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
6410STZ	• Reaves - Faucet Hole - Center Hole Only	23.00 lbs	30	Soft White
6440STZ	• Reaves - Faucet Hole on 4" (102mm) Center	23.00 lbs	30	Soft White
6480STZ	• Reaves - Faucet Hole on 8" (203mm) Center	23.00 lbs	30	Soft White


<div> RUSSO  </div>	DESCRIPTION				
	<ul style="list-style-type: none"> • Square Drop-in Sink • Fine fireclay • Rear overflow hole • Single hole, 4" or 8" faucet centers • Template supplied • Faucet not included <p>OUTER DIMENSIONS</p> <ul style="list-style-type: none"> • 415mm W x 415mm D x 172mm H • 16¼" W x 16¼" D x 6¾" H 				
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR	
4461BPX	• Russo - Faucet Hole - Center Hole Only	17.50 lbs	30	Soft White	
4464BPX	• Russo - Faucet Hole on 4" (102mm) Center	17.50 lbs	30	Soft White	
4468BPX	• Russo - Faucet Hole on 8" (203mm) Center	17.50 lbs	30	Soft White	



Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.



COLLETTE	DESCRIPTION			
	<ul style="list-style-type: none"> Rectangular Undermount Sink Vitreous china Front overflow hole Template supplied Mounting hardware not included  <p>NOMINAL DIMENSIONS Outer: • 550mm W x 350mm D x 190mm H • 21$\frac{5}{8}$" W x 13$\frac{3}{4}$" D x 7$\frac{1}{2}$" H Inner: • 500mm W x 300mm D x 140mm H • 19$\frac{5}{8}$" W x 11$\frac{5}{8}$" D x 5$\frac{1}{2}$" H</p>			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4220CIY	• Collette - Rectangular Undermount Sink	23.98 lbs	35	Soft White


CAMDEN	DESCRIPTION			
	<ul style="list-style-type: none"> Square Undermount Sink Vitreous china Front overflow hole Template supplied Mounting hardware not included  <p>NOMINAL DIMENSIONS Outer: • 405mm W x 405mm D x 190mm H • 16" W x 16" D x 7$\frac{1}{2}$" H Inner: • 355mm W x 355mm D x 138mm H • 14" W x 14" D x 5$\frac{1}{2}$" H</p>			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4210CHY	• Camden - Square Undermount Sink	22.00 lbs	36	Soft White




Products are designed to comply with ADA/ANSI A117.1, CSA B651 and OBC Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

CATENA	DESCRIPTION			
	<ul style="list-style-type: none"> Rectangular Undermount Sink Vitreous china Front overflow hole Template supplied Mounting hardware not included  <p>NOMINAL DIMENSIONS Outer: • 510mm W x 390mm D x 190mm H • 20" W x 15³/₈" D x 7¹/₂" H Inner: • 458mm W x 340mm D x 140mm H • 18" W x 13³/₈" D x 5¹/₂" H</p>			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4210CIY	• Catena - Rectangular Undermount Sink	25.30 lbs	36	Soft White

CATENA PETITE	DESCRIPTION			
	<ul style="list-style-type: none"> Rectangular Undermount Sink Vitreous china Front overflow hole Template supplied Mounting hardware not included  <p>NOMINAL DIMENSIONS Outer: • 431mm W x 296mm D x 192mm H • 17" W x 11⁵/₈" D x 7¹/₂" H Inner: • 381mm W x 240mm D x 140mm H • 15" W x 9³/₈" D x 5¹/₂" H</p>			
AVAILABLE MARCH 2022	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4210CLY	• Catena Petite - Rectangular Undermount Sink	NEW	36	Soft White

CONNOR	DESCRIPTION			
	<ul style="list-style-type: none"> • Oval Undermount Sink • Vitreous china • Front overflow hole • Template supplied • Mounting hardware not included  <p>NOMINAL DIMENSIONS Outer: • 430mm W x 355mm D x 190mm H • 17" W x 14" D x 7½" H Inner: • 380mm W x 305mm D x 140mm H • 15" W x 12" D x 5½" H</p>			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4210CFY	• Connor - Oval Undermount Sink	13.53 lbs	36	Soft White

CALVIN	DESCRIPTION			
	<ul style="list-style-type: none"> • Oval Undermount Sink • Vitreous china • Front overflow hole • Template supplied • Mounting hardware not included  <p>NOMINAL DIMENSIONS Outer: • 490mm W x 410mm D x 195mm H • 19¼" W x 16½" D x 7⅝" H Inner: • 430mm W x 350mm D x 145mm H • 17" W x 13¾" D x 5¾" H</p>			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4220CFY	• Calvin - Oval Undermount Sink	17.55 lbs	30	Soft White

EMERY



DESCRIPTION

- Rectangular Undermount Sink
- Vitreous china
- Front overflow hole
- Template and mounting hardware supplied

NOMINAL DIMENSIONS

Outer:

- 545mm W x 355mm D x 210mm H
- 21½" W x 14" D x 8¼" H

Inner:

- 495mm W x 305mm D x 160mm H
- 19½" W x 12" D x 6¼" H

PRODUCTS

NET WT

PALLET QUANTITY

COLOUR

4220CGY

- Emery - Rectangular Undermount Sink

19.25 lbs

35

Soft White

4220CGY-077

- Emery - Rectangular Undermount Sink

19.25 lbs

35

Matte Black

4220CGY-088

- Emery - Rectangular Undermount Sink

19.25 lbs

35

Slate Grey



4220CGY-077
Matte Black



4220CGY-088
Slate Grey

EMERY PETITE



DESCRIPTION

- Rectangular Undermount Sink
- Vitreous china
- Front overflow hole
- Template supplied
- Mounting hardware not included



NOMINAL DIMENSIONS

Outer:

- 470mm W x 350mm D x 180mm H
- 18½" W x 13¾" D x 7" H

Inner:

- 420mm W x 300mm D x 128mm H
- 16½" W x 11¾" D x 5" H

PRODUCTS

NET WT

PALLET QUANTITY

COLOUR

4220CJY

- Emery Petite - Rectangular Undermount Sink

14.33 lbs

36



Soft White



Products are designed to comply with ADA/ANSI A117.1, CSA B651 and OBC Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.




ABBI	DESCRIPTION			
	<ul style="list-style-type: none">• Round Vessel Sink• Vitreous china• Fully concealed and glazed back• Front overflow hole• Single hole faucet drilling• Template supplied• Faucet not included <p>OUTER DIMENSIONS</p> <ul style="list-style-type: none">• 424mm W x 424mm D x 194mm H• 16⅝" W x 16⅝" D x 7⅞" H			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4500ARW	• Abbi - Faucet Hole - Center Hole Only	16.94 lbs	28	Soft White
4500ARW-077	• Abbi - Faucet Hole - Center Hole Only	17.05 lbs	28	Matte Black
4500ARW-088	• Abbi - Faucet Hole - Center Hole Only	17.05 lbs	28	Slate Grey

	
4500ARW-077 Matte Black	4500ARW-088 Slate Grey


BATHROOM SINKS

<div>SIMONA</div> 	DESCRIPTION			
	<ul style="list-style-type: none"> • Round Vessel Sink • Fine Fireclay • Single hole faucet drilling with deck plate • Back of sink fully concealed and glazed • Template supplied • Faucet not included <p>OUTER DIMENSIONS</p> <ul style="list-style-type: none"> • 400mm W x 400mm D x 125mm H • 15¾" W x 15¾" D x 4⅞" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4500AFW	• Simona - Faucet Hole - Center Hole Only	13.97 lbs	38	Soft White

<div>CONWICK</div> 	DESCRIPTION			
	<ul style="list-style-type: none"> • Semi-recessed Rectangular Vessel Sink • Fine fireclay • Rear overflow hole • Single hole, 4" or 8" faucet centers • Template supplied • Faucet not included <p>OUTER DIMENSIONS</p> <ul style="list-style-type: none"> • 456mm W x 412mm D x 199mm H • 18" W x 16¼" D x 7⅞" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
6410LEX	• Conwick - Faucet Hole - Center Hole Only	19.50 lbs	30	Soft White
6440LEX	• Conwick - Faucet Hole on 4" (102mm) Center	19.50 lbs	30	Soft White
6480LEX	• Conwick - Faucet Hole on 8" (203mm) Center	19.50 lbs	30	Soft White



Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

BROOKE  CRAFT + MAIN	DESCRIPTION			
	<ul style="list-style-type: none"> • Rectangular Vessel Sink • Fine fireclay • Glazed front and back • Includes mounting bracket for wall mount options • Side overflow with chrome ring • Faucet not included • Can be installed with faucet hole on right-hand and left-hand side <p>OUTER DIMENSIONS</p> <ul style="list-style-type: none"> • 500mm W x 253mm D x 148mm H • 19 1/2" W x 10" D x 5 7/8" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
13-0074-W	• Brooke - Faucet Hole - Center Hole Only	20.00 lbs	48	Soft White



Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.



contrac®

OUR NEW **PRO GUARD GLAZE** WILL BE OFFERED ON
SELECTED COMMERCIAL ITEMS.

PRO GUARD GLAZE IS A STATE-OF-THE-ART SECONDARY
GLAZE THAT HELPS REDUCE THE BUILD-UP OF
GERMS, MOLD, MILDEW AND STAIN CAUSING BACTERIA.
THE PGG SELF-CLEANING TECHNOLOGY USES A SET OF
PROCESSES THAT PERMANENTLY RESTRUCTURES THE
GLAZE, MAKING IT THE PERFECT GUARD FOR ALL TYPES
OF VITREOUS CHINA.

PRO GUARD
GLAZE



PRO GUARD
GLAZE



AT A GLANCE - COMMERCIAL FIXTURES

TOLIETS 58

58	CALEDON
59	CHANE
60	CLEO
61	COMEAU
58	DEBLIN

FLUSH VALVE BOWLS 63

65	CLARK
63	CLAY
64	COLTER

URINALS 67

67	BARTLEIGH
68	CARLTON
68	CORNELL
67	KOLBY

DROP-IN & UNDERMOUNT SINKS 70


70	CAILYN
72	CASSIDY II
70	CATALINA
71	GRAYCIE
71	GRECO

WALL-HUNG SINKS 73


73	BARRIER FREE HYGIENIC SINK
75	CARMIN
75	CHELSEA
74	CLAYTON
73	HYGIENIC SINK
76	IZOBELLE DECORATIVE SINK

*NOTE: SEALED OVERFLOW SINKS AND ALL REAR INLET ITEMS ARE AVAILABLE BY **SPECIAL ORDER ONLY**. NOT INVENTORIED. NON-CANCELLABLE.






HIGH EFFICIENCY KINDERGARTEN TOILET 4.8Lpf / 1.28GPF

<div>CALEDON</div> 	DESCRIPTION			
	<ul style="list-style-type: none"> • High Efficiency 4.8Lpf / 1.28Gpf • Vitreous china • 11" Bowl height • Soft white tank lever • 10" (254mm) Rough-in • 2" Fully glazed ball pass trapway • Siphon jet flush action • Water surface 9¼" x 8¼" (235mm x 210mm) • Plastic toilet seat included • Meets EPA WaterSense criteria • MaP Tested 800g <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 432mm W x 617mm D x 671mm H • 17" W x 24¼" D x 26⅝" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4760BKV	• Caledon - 10" Rough-In, Kindergarten Toilet, Lined Tank, with Plastic Toilet Seat	57.00 lbs	9	Soft White

HIGH EFFICIENCY KINDERGARTEN FLUSHOMETER VALVE BOWL 4.8Lpf / 1.28GPF

<div>DEBLIN</div> 	DESCRIPTION			
	<ul style="list-style-type: none"> • High Efficiency Flushometer Valve Bowl 4.8Lpf / 1.28Gpf • Vitreous china • 11" Bowl height • 10" (254mm) Rough-in • 2" Fully glazed ball pass trapway • Siphon jet flush action • 1½" NPT Top inlet spud • Water surface 9¼" x 8¼" (235mm x 210mm) • Plastic toilet seat included • Meets EPA WaterSense criteria • MaP Tested 800g <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 345mm W x 580mm D x 280mm H • 13½" W x 22⅝" D x 11" H 			
FALL/ WINTER 2022	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4762BKX	• Deblin - Kindergarten flushometer bowl, Floor mounted, 11" high bowl, Top inlet spud, 10" Rough-in, With plastic toilet seat	33.07 lbs	12	Soft White






HIGH EFFICIENCY PRESSURE ASSIST TOILET 3.8Lpf / 1.0GPF

CHANE	DESCRIPTION			
	<ul style="list-style-type: none"> • High Efficiency Pressure Assist Toilet 3.8Lpf / 1.0Gpf • Elongated bowl • Vitreous china • 17" Plus Height for greater comfort • Chrome tank lever • 2" Fully glazed ball pass trapway • Siphon jet flush action • Water surface: 11$\frac{5}{8}$" x 7$\frac{7}{8}$" (295mm x 198mm) • Powerful and quiet pressure assisted Sloan FLUSHMATE® Flush assures clean and complete removal of all waste • Back outlet flange • Toilet seat not included • Meets EPA WaterSense criteria • MaP Premium Tested 1000g <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 447mm W x 755mm D x 800mm H • 17$\frac{5}{8}$" W x 29$\frac{3}{4}$" D x 31$\frac{1}{2}$" H <div>    </div> <div>  </div>			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
	<ul style="list-style-type: none"> • Chane/Canaham - Plus Height, Elongated Pressure Assist, Back Outlet, Two Piece Toilet, Unlined Tank with Universal Handle and Locking Tank (Toilet seat not included) 			Soft White
5721BOY-L	<ul style="list-style-type: none"> • Canaham - Unlined Tank. Pressure Assist with Universal Handle and Locking Tank 	28.00 lbs	30	Soft White
5722BMY	<ul style="list-style-type: none"> • Chane - Plus Height, Elongated Toilet Bowl, Back Outlet Flange, Pressure Assist (Toilet seat not included) 	39.16 lbs	9	Soft White
	RECOMMENDED SEAT (SOLD SEPARATELY)		CASE PACK (PCS)	
TS7150SC	<ul style="list-style-type: none"> • Smooth Close Elongated Plastic Toilet Seat 	3.74 lbs	10 PCS	Soft White



Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.




HIGH EFFICIENCY PRESSURE ASSIST TOILET 3.8LPF / 1.0GPF

CLEO	DESCRIPTION			
	<ul style="list-style-type: none"> • High Efficiency Pressure Assist Toilet 3.8Lpf / 1.0Gpf • Elongated bowl • Vitreous china • 17" Plus Height for greater comfort • Chrome tank lever • 12" (305mm) Rough-in • 2" Fully glazed ball pass trapway • Siphon jet flush action • Water surface: 8" x 6½" (203mm x 165mm) • Powerful and quiet pressure assisted Sloan FLUSHMATE® Flush assures clean and complete removal of all waste • Toilet seat not included • Meets EPA WaterSense criteria • MaP Premium Tested 1000g <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 447mm W x 716mm D x 799mm H • 17½" W x 28½" D x 31½" H <div>    </div> <div>  </div>			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
	<ul style="list-style-type: none"> • Cleo/Canaham - Plus Height, Elongated Pressure Assist, Two Piece Toilet, Unlined Tank with Universal Handle and Locking Tank (Toilet seat not included) 			Soft White
5721BOY-L	<ul style="list-style-type: none"> • Canaham - Unlined Tank. Pressure Assist with Universal Handle and Locking Tank 	28.00 lbs	30	Soft White
5722BOY	<ul style="list-style-type: none"> • Cleo - Plus Height, Elongated Toilet Bowl, Pressure Assist (Toilet seat not included) 	47.00 lbs	12	Soft White
	RECOMMENDED SEAT (SOLD SEPARATELY)		CASE PACK (PCS)	
TS7150SC	<ul style="list-style-type: none"> • Smooth Close Elongated Plastic Toilet Seat 	3.74 lbs	10 PCS	Soft White



Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

HIGH EFFICIENCY PRESSURE ASSIST TOILET 3.8Lpf / 1.0GPF

COMEAU	DESCRIPTION			
	<ul style="list-style-type: none"> • High Efficiency Pressure Assist Toilet 3.8Lpf / 1.0Gpf • Elongated bowl • Vitreous china • 15½" Bowl Height • Chrome tank lever • 12" (305mm) Rough-in • 2" Fully glazed ball pass trapway • Siphon jet flush action • Powerful and quiet pressure assisted Sloan FLUSHMATE® Flush assures clean and complete removal of all waste • Toilet seat not included • Meets EPA WaterSense criteria • MaP Premium Tested 1000g <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 440mm W x 730mm D x 758mm H • 17⅝" W x 28¾" D x 29⅞" H <p>*Information subject to change</p> <div>   </div>			
SPRING 2022	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
	<ul style="list-style-type: none"> • Comeau/Canaham - Plus Height, Elongated Pressure Assist, Two Piece Toilet, Unlined Tank with Universal Handle and Locking Tank (Toilet seat not included) 			Soft White
5721BOY-L	<ul style="list-style-type: none"> • Canaham - Unlined Tank. Pressure Assist with Universal Handle and Locking Tank 	28.00 lbs	30	Soft White
5722BEY	<ul style="list-style-type: none"> • Comeau - 15.5" Elongated Toilet Bowl, Pressure Assist (Toilet seat not included) 	47.00 lbs	12	Soft White
	RECOMMENDED SEAT (SOLD SEPARATELY)		CASE PACK (PCS)	
TS7150SC	<ul style="list-style-type: none"> • Smooth Close Elongated Plastic Toilet Seat 	3.74 lbs	10 PCS	Soft White




Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.


PRODUCTS THAT WILL INCLUDE PRO GUARD GLAZE

MODEL #	ITEM DESCRIPTION
4765CEX	CLARK 4.2L ADA TOP INLET WALL HUNG BOWL
*4765CEU	CLARK 4.2L ADA REAR INLET WALL HUNG BOWL
4762CEX	CLARK 4.8L ADA TOP INLET WALL HUNG BOWL
*4762CEU	CLARK 4.8L ADA REAR INLET WALL HUNG BOWL
4765BOX	CLAY 4.2L ADA TOP INLET FLUSH VALVE BOWL
*4765BOU	CLAY 4.2L ADA REAR INLET FLUSH VALVE BOWL
4762BOX	CLAY 4.8L ADA TOP INLET FLUSH VALVE BOWL
*4762BOU	CLAY 4.8L ADA REAR INLET FLUSH VALVE BOWL
4765BEX	COLTER 4.2L TOP INLET FLUSH VALVE BOWL
*4765BEU	COLTER 4.2L REAR INLET FLUSH VALVE BOWL
4762BEX	COLTER 4.8L TOP INLET FLUSH VALVE BOWL
*4762BEU	COLTER 4.8L REAR INLET FLUSH VALVE BOWL
4810BNX	BARTLEIGH 0.5 LPF TOP INLET URINAL
*4810BNY	BARTLEIGH 0.5 LPF ADA REAR INLET URINAL
4610CHZ	CLAYTON SINGLE HOLE ADA SINK
4640CHZ	CLAYTON 4" WALL HUNG BASIN
4680CHZ	CLAYTON 8" ADA WALL HUNG SINK
4644CHZ	CLAYTON SHROUD
*4610CHZ-SO	CLAYTON SINGLE HOLE ADA SINK (SEALED OVERFLOW)
*4640CHZ-SO	CLAYTON 4" WALL HUNG BASIN (SEALED OVERFLOW)
*4680CHZ-SO	CLAYTON 8" ADA WALL HUNG SINK (SEALED OVERFLOW)
4610AFV	HYGIENIC SINK
4660AFX	BARRIER FREE HYGIENIC SINK
*SPECIAL ORDER ONLY	

HIGH EFFICIENCY FLUSHOMETER VALVE BOWL 4.2LPF / 1.1GPF

CLAY	DESCRIPTION			
	 <ul style="list-style-type: none"> • High Efficiency Flushometer Valve Bowl 4.2Lpf / 1.1Gpf • Will also function with 4.8Lpf / 1.28Gpf flushometer valve • Elongated bowl • Vitreous china • 16½" Plus Height for greater comfort • 10" (254mm) Rough-in • 2" Fully glazed ball pass trapway • Siphon jet flush action • 1½ NPT Top or back inlet spud • Water surface: 8⅞" x 5½" (220mm x 140mm) • Seat by others and Flushometer Valve not included • Meets EPA WaterSense criteria • New Pro Guard Glaze • MaP Tested 800g (Top Inlet) <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 370mm W x 705mm D x 419mm H • 14½" W x 27¾" D x 16½" H <p>* SPECIAL ORDER ONLY 4765BOU - 4.2L (Rear Inlet)</p>			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4765BOX	• Clay - Plus Height, Elongated 10" Rough-In, Top Inlet Flushometer Valve Bowl (Seat by others and Flushometer Valve not included)	48.50 lbs	12	Soft White
4765BOU*	• Clay - Plus Height, Elongated 10" Rough-In, Rear Inlet Flushometer Valve Bowl (Seat by others and Flushometer Valve not included) *Special Order	48.50 lbs	12	Soft White



HIGH EFFICIENCY FLUSHOMETER VALVE BOWL 4.8LPF / 1.28GPF

CLAY	DESCRIPTION			
	 <ul style="list-style-type: none"> • High Efficiency Flushometer Valve Bowl 4.8Lpf / 1.28pf • Elongated bowl • Vitreous china • 16½" Plus Height for greater comfort • 10" (254mm) Rough-in • 2" Fully glazed ball pass trapway • Siphon jet flush action • 1½ NPT Top or back inlet spud • Water surface: 8⅞" x 5½" (220mm x 140mm) • Seat by others and Flushometer Valve not included • Meets EPA WaterSense criteria • New Pro Guard Glaze • MaP Tested 1000g (Top Inlet) <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 370mm W x 705mm D x 419mm H • 14½" W x 27¾" D x 16½" H <p>* SPECIAL ORDER ONLY 4762BOU - 4.8L (Rear Inlet)</p>			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4762BOX	• Clay - Plus Height, Elongated 10" Rough-In, Top Inlet Flushometer Valve Bowl (Seat by others and Flushometer Valve not included)	48.50 lbs	12	Soft White
4762BOU*	• Clay - Plus Height, Elongated 10" Rough-In, Rear Inlet Flushometer Valve Bowl (Seat by others and Flushometer Valve not included) *Special Order	48.50 lbs	12	Soft White





Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.


HIGH EFFICIENCY FLUSHOMETER VALVE BOWL 4.2LPF / 1.1GPF

COLTER	DESCRIPTION			
	 <ul style="list-style-type: none"> • High Efficiency Flushometer valve bowl 4.2Lpf / 1.1Gpf • Will also function with 4.8Lpf / 1.28Gpf flushometer valve • Elongated bowl • Vitreous china • 15" Bowl Height • 10" (254mm) Rough-in • 2" Fully glazed ball pass trapway • Siphon jet flush action • 1½ NPT Top or back inlet spud • Water surface: 9½" x 5½" (240mm x 140mm) • Seat by others and Flushometer Valve not included • Meets EPA WaterSense criteria • New Pro Guard Glaze • MaP Tested 800g (Top Inlet) <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 370mm W x 705mm D x 380mm H • 14½" W x 27¾" D x 15" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4765BEX	• Colter - Elongated 10" Rough-In, Top Inlet Flushometer Valve Bowl (Seat by others and Flushometer Valve not included)	45.00 lbs	12	Soft White


HIGH EFFICIENCY FLUSHOMETER VALVE BOWL 4.8LPF / 1.28GPF

COLTER	DESCRIPTION			
	 <ul style="list-style-type: none"> • High Efficiency Flushometer valve bowl 4.8Lpf / 1.28Gpf • Elongated bowl • Vitreous china • 15" Bowl Height • 10" (254mm) Rough-in • 2" Fully glazed ball pass trapway • Siphon jet flush action • 1½ NPT Top or back inlet spud • Water surface: 9½" x 5½" (240mm x 140mm) • Seat by others and Flushometer Valve not included • Meets EPA WaterSense criteria • New Pro Guard Glaze • MaP Tested 1000g (Top Inlet) <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 370mm W x 705mm D x 380mm H • 14½" W x 27¾" D x 15" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4762BEX	• Colter - Elongated 10" Rough-In, Top Inlet Flushometer Valve Bowl (Seat by others and Flushometer Valve not included)	45.00 lbs	12	Soft White

HIGH EFFICIENCY WALL HUNG FLUSHOMETER VALVE BOWL 4.2LPF / 1.1GPF

CLARK	DESCRIPTION			
	 <ul style="list-style-type: none"> • High Efficiency Wall Hung Flushometer valve bowl 4.2Lpf / 1.1Gpf • Will also function with 4.8Lpf / 1.28Gpf flushometer valve • Elongated bowl • Vitreous china • 2" Fully glazed ball pass trapway • Siphon jet flush action • 1½ NPT Top or back inlet spud • Water surface: 10¼" x 8⅝" (260mm x 220mm) • Seat by others and Flushometer Valve not included • Meets EPA WaterSense criteria • New Pro Guard Glaze • MaP Tested 800g <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 360mm W x 665mm D x 360mm H • 14⅞" W x 26⅞" D x 14⅞" H <p>* SPECIAL ORDER ONLY 4765CEU - 4.2L (Rear Inlet)</p>			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4765CEX	• Clark - Elongated, Top Inlet Flushometer Valve Bowl (Seat by others and Flushometer Valve not included)	42.00 lbs	16	Soft White
4765CEU*	• Clark - Elongated, Rear Inlet Flushometer Valve Bowl (Seat by others and Flushometer Valve not included) *Special Order	42.00 lbs	16	Soft White

HIGH EFFICIENCY WALL HUNG FLUSHOMETER VALVE BOWL 4.8LPF / 1.28GPF


CLARK	DESCRIPTION			
	 <ul style="list-style-type: none"> • High Efficiency Wall Hung Flushometer valve bowl 4.8Lpf / 1.28Gpf • Will also function with 6Lpf / 1.6Gpf flushometer valve • Elongated bowl • Vitreous china • 2" Fully glazed ball pass trapway • Siphon jet flush action • 1½ NPT Top or back inlet spud • Water surface: 10¼" x 8⅝" (260mm x 220mm) • Seat by others and Flushometer Valve not included • Meets EPA WaterSense criteria • New Pro Guard Glaze • MaP Tested 1000g <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 390mm W x 650mm D x 335mm H • 15⅜" W x 25½" D x 13⅞" H <p>* SPECIAL ORDER ONLY 4762CEU - 4.8L (Rear Inlet)</p>			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4762CEX	• Clark - Elongated, Top Inlet Flushometer Valve Bowl (Seat by others and Flushometer Valve not included)	42.00 lbs	12	Soft White
4762CEU*	• Clark - Elongated, Rear Inlet Flushometer Valve Bowl (Seat by others and Flushometer Valve not included) *Special Order	42.00 lbs	12	Soft White




Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.



ULTRA HIGH EFFICIENCY WALL MOUNTED URINAL 0.47LPF / 0.125GPF

BARTLEIGH	DESCRIPTION			
	 <ul style="list-style-type: none"> • Ultra High Efficiency Wall Mounted Urinal 0.47Lpf / 0.125Gpf • Vitreous china • Washout flush action • 3/4" Top or rear inlet spud • Outlet connection threaded 2" inside NPTF • Flushing rim • 13 3/8" rim depth from finished wall • Mounting hardware supplied • Optional concealed carrier installation • Extended sides for privacy • Internal trap • Flushometer not included • Meets EPA WaterSense criteria • New Pro Guard Glaze <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 470mm W x 345mm D x 680mm H • 18 1/2" W x 13 3/8" D x 26 3/4" H <p>* SPECIAL ORDER ONLY 4810BNY - 4.8L (Rear Inlet)</p>			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4810BNX	• Bartleigh - Top Inlet Wall Mounted Urinal (Does not include Flushometer Valve)	60.19 lbs	12	Soft White
4810BNY*	• Bartleigh - Rear Inlet Wall Mounted Urinal (Does not include Flushometer Valve) *Special Order	54.56 lbs	12	Soft White



ULTRA HIGH EFFICIENCY WALL MOUNTED URINAL 0.47LPF / 0.125GPF

KOLBY	DESCRIPTION			
	 <ul style="list-style-type: none"> • Ultra High Efficiency Wall Mounted Urinal 0.47Lpf / 0.125Gpf • Vitreous china • Washout flush action • 3/4" Top or rear inlet spud • Outlet connection threaded 2" inside NPTF • Flushing rim • Extended sides for privacy • Internal trap • 12 3/8" rim from finished wall • Wall hangers and screws included • Vitreous china strainer included • Flushometer not included • Meets EPA WaterSense criteria <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 352mm W x 314mm D x 550mm H • 13 3/8" W x 12 3/8" D x 21 3/8" H <p>* SPECIAL ORDER ONLY 4810BSY - 4.2L (Rear Inlet)</p>			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4810BSX	• Kolby - Top Inlet Wall Mounted Urinal (Does not include Flushometer Valve)	29.26 lbs	24	Soft White
4810BSY*	• Kolby - Rear Inlet Wall Mounted Urinal (Does not include Flushometer Valve) *Special Order	35.11 lbs	20	Soft White





Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

HIGH EFFICIENCY WALL MOUNTED URINAL 1.9LPF / 0.5GPF

CORNELL	DESCRIPTION			
	 <ul style="list-style-type: none"> • High Efficiency Wall Mounted Urinal 1.9Lpf / 0.5Gpf • Vitreous china • Washout flush action • 3/4" Top inlet spud • Outlet spud with 1 1/2" tubing tailpiece • Flushing rim • 12 3/4" rim depth from finished wall • Mounting hardware supplied • For concealed carrier installation • Integral strainer • Flushometer not included • Meets EPA WaterSense criteria <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 321mm W x 324mm D x 457mm H • 12 5/8" W x 12 3/4" D x 18" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4810BEX	• Cornell - Wall Mounted Urinal, Top Inlet (Does not include Flushometer)	29.70 lbs	28	Soft White



HIGH EFFICIENCY WALL MOUNTED URINAL 1.9LPF / 0.5GPF



CARLTON	DESCRIPTION			
	 <ul style="list-style-type: none"> • High Efficiency Wall Mounted Urinal 1.9Lpf / 0.5Gpf • Vitreous china • Washout flush action • 3/4" Top inlet spud • Outlet connection threaded 2" inside NPTF • Flushing rim • Extended sides for privacy • Integral trap • Elongated 14 3/4" rim from finished wall • For concealed carrier installation • Vitreous china strainer included • Flushometer not included • Meets EPA WaterSense criteria <p>NOMINAL DIMENSIONS</p> <ul style="list-style-type: none"> • 445mm W x 375mm D x 684mm H • 17 1/2" W x 14 3/4" D x 27" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4810BFX	• Carlton - Wall Mounted Urinal, Top Inlet (Does not include Flushometer)	57.00 lbs	12	Soft White






Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.





<div>CATALINA</div> <div></div>	<div>DESCRIPTION</div> <div><ul style="list-style-type: none">• Oval Drop-in Sink• Vitreous china• Front overflow hole• Single hole, 4" or 8" faucet centers• Template supplied• Faucet not included</div> <div>OUTER DIMENSIONS<ul style="list-style-type: none">• 514mm W x 432mm D x 194mm H• 20¼" W x 17" D x 7⅝" H</div> <div>* SPECIAL ORDER ONLY 4110BGW-SO - Single Hole (Sealed Overflow) 4140BGW-SO - 4" Center (Sealed Overflow)</div> <div></div>				
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR	
4110BGW	• Catalina - Faucet Hole - Center Hole Only	15.99 lbs	54	Soft White	
4140BGW	• Catalina - Faucet Hole on 4" (102mm) Center	15.99 lbs	54	Soft White	
4180BGW	• Catalina - Faucet Hole on 8" (203mm) Center	15.99 lbs	54	Soft White	
4110BGW-SO*	• Catalina - Faucet Hole - Center Hole Only (Sealed Overflow) *Special Order	15.99 lbs	54	Soft White	
4140BGW-SO*	• Catalina - Faucet Hole on 4" (102mm) Center (Sealed Overflow) *Special Order	15.99 lbs	54	Soft White	

<div>CAILYN</div> <div></div>	DESCRIPTION			
	<div><ul style="list-style-type: none">• Round Drop-in Sink• Vitreous china• Front overflow hole• Single hole or 4" faucet centers• Template supplied• Faucet not included</div> <div>OUTER DIMENSIONS<ul style="list-style-type: none">• 484mm W x 484mm D x 206mm H• 19" W x 19" D x 8½" H</div> <div>* SPECIAL ORDER ONLY 4110BRW-SO - Single Hole (Sealed Overflow) 4140BRW-SO - 4" Center (Sealed Overflow)</div> <div></div>			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4110BRW	• Cailyn - Faucet Hole - Center Hole Only	19.00 lbs	54	Soft White
4140BRW	• Cailyn - Faucet Hole on 4" (102mm) Center	19.00 lbs	54	Soft White
4110BRW-SO*	• Cailyn - Faucet Hole - Center Hole Only (Sealed Overflow) *Special Order	19.00 lbs	54	Soft White
4110BRW-SO*	• Cailyn - Faucet Hole on 4" (102mm) Center (Sealed Overflow) *Special Order	19.00 lbs	54	Soft White

 Products are designed to comply with ADA/ANSI A117.1, CSA B651 and OBC Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

GRAYCIE	DESCRIPTION				
	<div><div></div><div><ul style="list-style-type: none">• Oval Drop-in Sink• Vitreous china• Rear overflow holes• Template included• Faucet not included<p>OUTER DIMENSIONS</p><ul style="list-style-type: none">• 533mm W x 445mm D x 177mm H• 21" W x 17½" D x 7" H<p>* SPECIAL ORDER ONLY</p><p>4111BPU-SO - Single Hole (Sealed Overflow)</p><p>4114BPU-SO - 4" Center (Sealed Overflow)</p></div></div>				
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR	
4111BPU	• Graycie - Faucet Hole - Center Hole Only	22.93 lbs	36	Soft White	
4114BPU	• Graycie - Faucet Hole on 4" (102mm) Center	22.93 lbs	36	Soft White	
4118BPU	• Graycie - Faucet Hole on 8" (203mm) Center	22.93 lbs	36	Soft White	
4111BPU-SO*	• Graycie - Faucet Hole - Center Hole Only (Sealed Overflow) *Special Order	22.93 lbs	36	Soft White	
4114BPU-SO*	• Graycie - Faucet Hole on 4" (102mm) Center (Sealed Overflow) *Special Order	22.93 lbs	36	Soft White	

<div>GRECO</div> <div></div>	DESCRIPTION				
	<ul style="list-style-type: none">• Oval Undermount Sink• Vitreous china• Rear overflow hole• Shallow 5¾" depth• Template and mounting hardware included				
	NOMINAL DIMENSIONS				
	Outer:				
	<ul style="list-style-type: none">• 483mm W x 400mm D x 146mm H• 19" W x 15¾" Dx 5¾" H				
Inner:					
<ul style="list-style-type: none">• 433mm W x 350mm D x 94mm H• 17" W x 13¾" D x 3¾" H					
* SPECIAL ORDER ONLY					
4220CFX-SO - Undermount Sink (Sealed Overflow)					
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR	
4220CFX	• Greco - Oval Undermount Sink	10.45 lbs	48	Soft White	
4220CFX-SO*	• Greco - Oval Undermount Sink (Sealed Overflow) *Special Order	10.45 lbs	48	Soft White	




Products are designed to comply with ADA/ANSI A117.1, CSA B651 and OBC Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

CASSIDY II	DESCRIPTION			
	<ul style="list-style-type: none"> • Semi-Countertop self-rimming sink • Fine Fireclay • Rear overflow hole • Single hole, 4" or 8" faucet centers • Mounting screws and cut-out template supplied • Space saving design installs on a minimum countertop depth of 14" • Back of sink is not glazed, follow spec drawing to be installed flush against back wall • Faucet not included <p>OUTER DIMENSIONS</p> <ul style="list-style-type: none"> • 645mm W x 555mm D x 175mm H • 25$\frac{3}{8}$" W x 21$\frac{7}{8}$" D x 6$\frac{7}{8}$" H <p>* SPECIAL ORDER ONLY</p> <p>4313DNX-SO - Single Hole (Sealed Overflow) 4343DNX-SO - 4" Center (Sealed Overflow) 4383DNX-SO - 8" Center (Sealed Overflow)</p>			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4313DNX	• Cassidy II - Faucet Hole - Center Hole Only	31.22 lbs	14	Soft White
4343DNX	• Cassidy II - Faucet Hole on 4" (102mm) Center	31.22 lbs	14	Soft White
4383DNX	• Cassidy II - Faucet Hole on 8" (203mm) Center	31.22 lbs	14	Soft White
4313DNX-SO*	• Cassidy II - Faucet Hole - Center Hole Only (Sealed Overflow) *Special Order	31.22 lbs	14	Soft White
4343DNX-SO*	• Cassidy II - Faucet Hole on 4" (102mm) Center (Sealed Overflow) *Special Order	31.22 lbs	14	Soft White
4383DNX-SO*	• Cassidy II - Faucet Hole on 8" (203mm) Center (Sealed Overflow) *Special Order	31.22 lbs	14	Soft White





<div>HYGIENIC SINK</div> 	DESCRIPTION			
	<ul style="list-style-type: none"> • Wall Mounted Sink with Shroud • Vitreous china with Pro Guard Glaze • Single hole faucet drilling • Built-in backsplash • Offset drain located at backward position to avoid direct fall of water stream • No overflow, to prevent contamination • Slanted deck, to prevent water pooling • Mounting hardware supplied • For concealed arm carrier (provided by others) installation • Acrylic shroud included • Faucet not included <p>OUTER DIMENSIONS</p> <ul style="list-style-type: none"> • 515mm W x 465mm D x 595mm H • 20¼" W x 18¼" D x 23⅝" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4610AFV	• Hygienic Sink - Faucet Hole - Center Hole Only	52.00 lbs	12	Soft White

<div>BARRIER FREE HYGIENIC SINK</div> 	DESCRIPTION			
	<ul style="list-style-type: none"> • Barrier Free Wall Mounted Sink with Shroud • Fine fireclay with Pro Guard Glaze - No overflow hole - Single hole faucet deck - Mounting bracket and hardware supplied - Offset drain to avoid the direct fall of water stream - Slanted ledges and drain to prevent water pooling - Deep sink to minimize splashing - Decorative plastic shroud included - Works with concealed plate style wall carrier (provided by others) - Faucet not included - Patent Pending <p>OUTER DIMENSIONS</p> <ul style="list-style-type: none"> • 520mm W x 530mm D x 410mm H • 20½" W x 20⅞" D x 16⅞" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4660AFX	• Barrier Free Hygienic Sink - Faucet Hole - Center Hole Only	59.40 lbs	12	Soft White







Products are designed to comply with ADA/ANSI A117.1, CSA B651 and OBC Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

CLAYTON	DESCRIPTION			
	 <ul style="list-style-type: none"> • Wall Mounted Sink with Shroud • Vitreous china • Rear overflow hole • Single hole, 4" or 8" faucet centers • Mounting bracket and hardware supplied • Optional concealed arm carrier installation (supplied by others) • Faucet not included • With Pro Guard Glaze <p>OUTER DIMENSIONS</p> <ul style="list-style-type: none"> • 520mm W x 580mm D x 545mm H • 20½" W x 22¾" D x 21½" H <p>* SPECIAL ORDER ONLY</p> <p>4610CHZ-SO - Single Hole (Sealed Overflow) 4640CHZ-SO - 4" Center (Sealed Overflow) 4680CHZ-SO - 8" Center (Sealed Overflow)</p> 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4610CHZ	• Clayton - Faucet Hole - Center Hole Only	44.44 lbs	16	Soft White
4640CHZ	• Clayton - Faucet Hole on 4" (102mm) Center	44.44 lbs	16	Soft White
4680CHZ	• Clayton - Faucet Hole on 8" (203mm) Center	44.44 lbs	16	Soft White
4644CHZ	• Clayton - Shroud	18.81 lbs	16	Soft White
4610CHZ-SO*	• Clayton - Faucet Hole - Center Hole Only (Sealed Overflow) *Special Order	44.44 lbs	16	Soft White
4640CHZ-SO*	• Clayton - Faucet Hole on 4" (102mm) Center (Sealed Overflow) *Special Order	44.44 lbs	16	Soft White
4680CHZ-SO*	• Clayton - Faucet Hole on 8" (203mm) Center (Sealed Overflow) *Special Order	44.44 lbs	16	Soft White





Products are designed to comply with ADA/ANSI A117.1, CSA B651 and OBC Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

<div>CARMIN</div> 	DESCRIPTION			
	<ul style="list-style-type: none"> • Wall Mounted Sink with Ledge • Vitreous china • Rear overflow hole • Single hole, 4" or 8" faucet centers • Mounting bracket and hardware supplied • Optional concealed arm carrier installation (supplied by others) • Back splash ledge • Faucet not included  <p>OUTER DIMENSIONS</p> <ul style="list-style-type: none"> • 510mm W x 470mm D x 260mm H • 20" W x 18½" D x 10¼" H <p>* SPECIAL ORDER ONLY</p> <p>4610BHZ-SO - Single Hole (Sealed Overflow)</p> <p>4640BHZ-SO - 4" Center (Sealed Overflow)</p>			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4610BHZ	• Carmin - Faucet Hole - Center Hole Only	31.22 lbs	24	Soft White
4640BHZ	• Carmin - Faucet Hole on 4" (102mm) Center	31.22 lbs	24	Soft White
4680BHZ	• Carmin - Faucet Hole on 8" (203mm) Center	31.22 lbs	24	Soft White
4610BHZ-SO*	• Carmin - Faucet Hole - Center Hole Only (Sealed Overflow) *Special Order	31.22 lbs	24	Soft White
4640BHZ-SO*	• Carmin - Faucet Hole on 4" (102mm) Center (Sealed Overflow) *Special Order	31.22 lbs	24	Soft White

<div>CHELSEA</div> 	DESCRIPTION			
	<ul style="list-style-type: none"> • Wall Mounted Sink • Vitreous china • Front overflow hole • Single hole or 4" faucet centers • Mounting hardware supplied • Optional concealed arm carrier installation (supplied by others) • Faucet not included  <p>OUTER DIMENSIONS</p> <ul style="list-style-type: none"> • 485mm W x 450mm D x 220mm H • 19½" W x 17¾" D x 8⅝" H 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4610BHW	• Chelsea - Faucet Hole - Center Hole Only	27.60 lbs	30	Soft White
4640BHW	• Chelsea - Faucet Hole on 4" (102mm) Center	27.60 lbs	30	Soft White




Products are designed to comply with ADA/ANSI A117.1, CSA B651 and OBC Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

IZOBELLE	DESCRIPTION			
	 <ul style="list-style-type: none"> • Wall Mounted Sink • Fine Fireclay • Slim rim profile • Rear overflow hole • Single hole faucet center • Mounting bracket and hardware supplied • For concealed plate-type carrier installation (supplied by others) • Faucet not included <p>OUTER DIMENSIONS</p> <ul style="list-style-type: none"> • 508mm W x 457mm D x 148mm H • 20" W x 18" D x 5 7/8" H 			
FALL 2022	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
6610ANX	• Izobelle - Decorative Square Wall Hung Sink	35.50 lbs	NEW	Soft White



Products are designed to comply with ADA/ANSI A117.1, CSA B651 and OBC Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.



VIDEOS



Our always-expanding video database provides you with simple **step-by-step videos** for installation and maintenance. Available in both English and French.

TROUBLESHOOTING



Our **FAQ section** is ideal for quick and easy on-site trouble shooting and problem solving of common issues, such as water running and more.

LITERATURE



Every part on our website includes a list of all compatible products with **instructions, schematic sheets, and spec sheets** for each product.

[illegible]

WARRANTY

Contrac® warrant its products to be free from defects in material or workmanship for **5 years** (Vitreous China) and **1 year** (Parts and Fittings) from the date of purchase of the product by the original purchaser. Kross and Rowe - **2 years** (Workmanship) and **2 years** (Parts).

If inspection of this plumbing product, within 5 years (china product) or 1 year (parts and fittings) after its initial purchase, confirms that it is defective in materials or workmanship, Contrac® will repair or at its option, exchange the product for a similar model. Contrac® provides no warranties or guarantees beyond those in this Limited Contrac® Warranty.

This limited warranty applies only to the original purchaser and installation of these products. All de-installation and re-installation and transportation costs or charges incidental to warranty services are to be borne by the owner. In no event will Contrac® be liable for the cost of repair or replacement of any installation materials, including but not limited to, tiles, marble etc. Contrac® will not be responsible for and this warranty does not cover and specifically excludes any liability to the purchaser or any third party for consequential or incidental damages, all of which are hereby expressly disclaimed, or the extension beyond the duration of this warranty of any implied warranties, including those of merchantability or fitness for an intended purpose.

This warranty does not apply to local building code compliance. Since local building codes vary considerably, the purchaser of this product should check with a local building or plumbing contractor to insure local code compliance before installation.

Contrac® shall not be responsible or liable for any failure or damage to its toilet tank trim, plumbing fittings, or china products caused by the use of either chloramines or high concentration of chlorine, lime/iron sediments and/or other minerals not removed from public water during the treatment of public water supplies or caused by toilet tank type cleaners containing chlorine, calcium hypochlorite, and /or other chemicals.

This warranty is void if the product has been moved from its initial place of installation; if it has been subjected to faulty maintenance, abuse, misuse, accident or other damages; if it was not installed in accordance with Contrac®'s instructions; or if it has been modified in a manner inconsistent with the product as shipped by Contrac®.

NOTE: Some states or provinces do not allow the limitations on an implied warranty, and some states/provinces do not allow exclusions or limitations regarding incidental or consequential damages, so the above limitations may not apply to you. This warranty gives you specific legal rights, and you may have other rights, which vary from state to state or province to province. No person is authorized to change, add to, or creates any warranty or obligation other than that set forth herein.

To obtain warranty service or product information,

Email us: FGI.Canada@FGI-Industries.com or

visit our Parts website: www.fgiparts.ca

Call us: 905-507-2005 or

Toll-Free 1-888-256-7551

contrac®

5970 CHEDWORTH WAY UNIT B
MISSISSAUGA, ONTARIO, CANADA
L5R 4G5

| WWW.CONTRAC.CA
| 1-888-256-7551

| PUBLISHED APRIL 2022

| CONTRAC IS A PROUD PART OF FGI CANADA LTD.
| FGI-INDUSTRIES.COM